STANDARDS AND (stabilized 2017) INFORMATION DOCUMENTS



AES Information document for digital audio - Personal computer audio quality measurements

Users of this standard are encouraged to determine if they are using the latest printing incorporating all current amendments and editorial corrections. Information on the latest status, edition, and printing of a standard can be found at: http://www.aes.org/standards

AUDIO ENGINEERING SOCIETY, INC. 551 Fifth Avenue, New York, NY 10176, US. www.aes.org/standards



The AES Standards Committee is the organization responsible for the standards program of the Audio Engineering Society. It publishes technical standards, information documents and technical reports. Working groups and task groups with a fully international membership are engaged in writing standards covering fields that include topics of specific relevance to professional audio. Membership of any AES standards working group is open to all individuals who are materially and directly affected by the documents that may be issued under the scope of that working group. Complete information, including working group scopes and project status is available at http://www.aes.org/standards. Enquiries may be addressed to standards@aes.org

A standards document may be considered for "stabilized" status if it has continuing value but there is no requirement or available expertise to revise it. Any person may, at any time, propose a revision of any stabilized standard, subject to the same criteria and procedures as for new project initiations. If accepted, the project shall be assigned to the appropriate subcommittee and working group for development in the same way as for any other project. See AESSC Rules, clause 17.

The AES Standards Committee is supported in part by those listed below who, as Standards Sustainers, make significant financial contribution to its operation.


























































































This list is current as of 2017/7/25

AES information document for digital audio Personal computer audio quality measurements

Published by

Audio Engineering Society, Inc.

Copyright © 2006 by the Audio Engineering Society

Abstract

This document focuses on the measurement of audio quality specifications in a PC environment. Each specification listed has a definition and an example measurement technique. Also included is a detailed description of example test setups to measure each specification.

An AES standard implies a consensus of those directly and materially affected by its scope and provisions and is intended as a guide to aid the manufacturer, the consumer, and the general public. An AES information document is a form of standard containing a summary of scientific and technical information; originated by a technically competent writing group; important to the preparation and justification of an AES standard or to the understanding and application of such information to a specific technical subject. An AES information document implies the same consensus as an AES standard. However, dissenting comments may be published with the document. The existence of an AES standard or AES information document does not in any respect preclude anyone, whether or not he or she has approved the document, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. Attention is drawn to the possibility that some of the elements of this AES standard or information document may be the subject of patent rights. AES shall not be held responsible for identifying any or all such patents. This document is subject to periodic review and users are cautioned to obtain the latest edition and printing.

2011-10-05 printing

Table of Contents

roreword4		
1	Scope	5
2	Normative references	5
3	Definitions	5
4	Measurement techniques	8
•	·	
	4.0 General	
	4.1 Electrical specifications	
	4.3 Sample Rates	
	4.4 Test conditions	
	4.5 Establishing reference levels	
	4.6 Frequency response (FR)	
	4.7 THD+N	11
	4.8 Dynamic range (DR)	
	4.9 Intermodulation Distortion (IMD)	
	4.10 Continuous power	
	4.11 Cross-talk between signal channels	
	4.12 Interchannel phase response	
	4.14 Frequency accuracy	
	4.15 Passband ripple	
	4.16 Microphone bias voltage and current	
	4.17 Digital interface measurements	
	4.18 Glitch detection	17
	4.19 Latency	18
5	Test equipment	18
	5.1 Validating the test system	18
	5.2 Proper grounding	
	5.3 Out-of-band noise	
	5.4 Sample rates	20
	Step-by-step procedure to characterize a PC audio device	
	6.1 Characterize the Play (D-A) Path	
	6.2 Characterize the Record Analog Loop (A-A) Path	
	6.3 Characterize the Microphone Analog (A-A) Path (if available)	
	6.4 Characterize the Record (A-D) Path	
	6.5 Characterize the Mic Record (A-D) Path (if available)	
	6.6 Characterize the Record/Play (A-D-PC-D-A) Path	
Δ	nnex A Informative references and bibliography	
Α	nnex B Measurement Paths	
	B.1 Typical PC audio path schematic	
	B.2 Play (D-A) path	
	B.4 Analog loop (A-A) path, Mic input	
	D. + Alialog loop (A A) patil, Mile Ilipat	0

B.5 Record (A-D) path	41
B.5 Record (A-D) path B.6 Mic record (A-D) path	42
B.7 Record/Play loop (A-D-PC-D-A) path	43
B.8 Digital Loop (D-D) Path	
Annex C Maximum signal level and full-scale signal level	
C.1 Maximum signal level and full-scale signal level	45
C.2 Example, consumer PC	
C.3 Example, professional PC	46
Annex D Noise weighting filters	47
D.1 Weighting filters	47
D.2 Filters based on A-weighting	
D.3 Filters based on International Telecommunications Union (ITU) standards	
D.4 Reporting	
Annex E Computation of passband ripple	48