



FLIGHT SIMULATOR DESIGN AND PERFORMANCE DATA REQUIREMENTS

ARINC SPECIFICATION 450

PUBLISHED: December 2, 2016

Prepared by the FSEMC
Published by
SAE ITC
16701 Melford Blvd., Suite 120, Bowie, Maryland 20715 USA



[This is a preview. Click here to purchase the full publication.](#)

DISCLAIMER

THIS DOCUMENT IS BASED ON MATERIAL SUBMITTED BY VARIOUS PARTICIPANTS DURING THE DRAFTING PROCESS. NEITHER AECC, AMC, FSEMC NOR SAE ITC HAS MADE ANY DETERMINATION WHETHER THESE MATERIALS COULD BE SUBJECT TO VALID CLAIMS OF PATENT, COPYRIGHT OR OTHER PROPRIETARY RIGHTS BY THIRD PARTIES, AND NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, IS MADE IN THIS REGARD.

ARINC INDUSTRY ACTIVITIES USES REASONABLE EFFORTS TO DEVELOP AND MAINTAIN THESE DOCUMENTS. HOWEVER, NO CERTIFICATION OR WARRANTY IS MADE AS TO THE TECHNICAL ACCURACY OR SUFFICIENCY OF THE DOCUMENTS, THE ADEQUACY, MERCHANTABILITY, FITNESS FOR INTENDED PURPOSE OR SAFETY OF ANY PRODUCTS, COMPONENTS, OR SYSTEMS DESIGNED, TESTED, RATED, INSTALLED OR OPERATED IN ACCORDANCE WITH ANY ASPECT OF THIS DOCUMENT OR THE ABSENCE OF RISK OR HAZARD ASSOCIATED WITH SUCH PRODUCTS, COMPONENTS, OR SYSTEMS. THE USER OF THIS DOCUMENT ACKNOWLEDGES THAT IT SHALL BE SOLELY RESPONSIBLE FOR ANY LOSS, CLAIM OR DAMAGE THAT IT MAY INCUR IN CONNECTION WITH ITS USE OF OR RELIANCE ON THIS DOCUMENT, AND SHALL HOLD AECC, AMC, FSEMC, SAE ITC, AND ANY PARTY THAT PARTICIPATED IN THE DRAFTING OF THE DOCUMENT HARMLESS AGAINST ANY CLAIM ARISING FROM ITS USE OF THE STANDARD.

THE USE IN THIS DOCUMENT OF ANY TERM, SUCH AS SHALL OR MUST, IS NOT INTENDED TO AFFECT THE STATUS OF THIS DOCUMENT AS A VOLUNTARY STANDARD OR IN ANY WAY TO MODIFY THE ABOVE DISCLAIMER. NOTHING HEREIN SHALL BE DEEMED TO REQUIRE ANY PROVIDER OF EQUIPMENT TO INCORPORATE ANY ELEMENT OF THIS STANDARD IN ITS PRODUCT. HOWEVER, VENDORS WHICH REPRESENT THAT THEIR PRODUCTS ARE COMPLIANT WITH THIS STANDARD SHALL BE DEEMED ALSO TO HAVE REPRESENTED THAT THEIR PRODUCTS CONTAIN OR CONFORM TO THE FEATURES THAT ARE DESCRIBED AS MUST OR SHALL IN THE STANDARD.

ANY USE OF OR RELIANCE ON THIS DOCUMENT SHALL CONSTITUTE AN ACCEPTANCE THEREOF "AS IS" AND BE SUBJECT TO THIS DISCLAIMER.

ARINC SPECIFICATION 450
FLIGHT SIMULATOR DESIGN AND PERFORMANCE DATA REQUIREMENTS

Published: December 2, 2016

Prepared by the Flight Simulation Engineering and Maintenance Conference (FSEMC)
Adopted by the FSEMC Steering Committee

FOREWORD

The FSEMC, SAE ITC, and ARINC Standards

ARINC Industry Activities, an SAE ITC program, organizes aviation industry committees and participates in related industry activities that benefit aviation at large by providing technical leadership and guidance. These activities directly support aviation industry goals: promote safety, efficiency, regularity, and cost-effectiveness in aircraft operations.

ARINC Industry Activities organizes and provides the secretariat for international aviation organizations (AEEC, AMC, FSEMC) which coordinate the work of aviation industry technical professionals and lead the development of technical standards for airborne electronic equipment, aircraft maintenance equipment and practices, and flight simulator equipment used in commercial, military, and business aviation. The AEEC, AMC, and FSEMC develop consensus-based, voluntary standards that are published by SAE ITC and are known as ARINC Standards. The use of ARINC Standards results in substantial technical and economic benefit to the aviation industry.

There are three classes of ARINC Standards:

- a) ARINC Characteristics – Define the form, fit, function, and interfaces of avionics and other airline electronic equipment. ARINC Characteristics indicate to prospective manufacturers of airline electronic equipment the considered and coordinated opinion of the airline technical community concerning the requisites of new equipment including standardized physical and electrical characteristics to foster interchangeability and competition.
- b) ARINC Specifications – Are principally used to define either the physical packaging or mounting of avionics equipment, data communication standards, or a high-level computer language.
- c) ARINC Reports – Provide guidelines or general information found by the airlines to be good practices, often related to avionics maintenance and support.

The release of an ARINC Standard does not obligate any organization to purchase equipment so described, nor does it establish or indicate recognition or the existence of an operational requirement for such equipment, nor does it constitute endorsement of any manufacturer's product designed or built to meet the ARINC Standard.

In order to facilitate the continuous product improvement of this ARINC Standard, two items are included in the back of this document:

An Errata Report solicits any corrections to existing text or diagrams that may be included in a future Supplement to this ARINC Standard.

An ARINC IA Project Initiation/Modification (APIM) form solicits any proposals for the addition of technical material to this ARINC Standard.

**ARINC SPECIFICATION 450
TABLE OF CONTENTS**

1.0	INTRODUCTION.....	1
1.1	Purpose.....	1
1.1.1	History of the FSTD Design Data Document.....	1
1.2	General Definitions and Requirements.....	1
1.2.1	Data Categories.....	1
1.2.2	Configuration/Design Data.....	2
1.2.3	Simulation Modelling Data.....	2
1.2.4	Checkout Data.....	2
1.2.5	Validation Data.....	2
1.2.5.1	Flight Test Validation Data.....	3
1.2.5.2	Engineering Validation Data.....	3
1.2.5.3	Validation Data Roadmap.....	4
1.2.5.4	Validation Data for Additional/Alternate Engines or Avionics.....	5
1.2.6	Proof of Match Data.....	5
1.2.7	System Verification Data.....	5
1.3	Malfunction Data.....	5
1.4	Data Media.....	6
1.5	Model Integration.....	7
1.6	Transport Delay and Latency – Required Data.....	7
1.6.1	Transport Delay.....	7
1.6.2	Latency.....	9
1.7	Related Documents.....	9
1.8	Data Organization.....	10
2.0	CONFIGURATION/DESIGN DATA.....	11
2.1	General Information.....	11
2.2	Flight Deck Structure/Airplane Configuration.....	11
2.3	Electronic Equipment Data.....	12
2.3.1	Data and Documentation for Instruments.....	13
2.3.2	Data and Documentation for Electronic Equipment.....	13
2.3.3	Data and Documentation for the use of Chart Driven Models/Source Code.....	15
2.3.4	Data and Documentation for the use of Binary Format Software.....	15
2.3.5	Airplane System Data Bus Architecture Data.....	15
2.3.6	Compatibility with ARINC 610 Report.....	15
2.3.7	Requirements for New Airplane Programs.....	15
2.4	Crew Field of View Polar and Lighting Diagrams.....	16
2.5	Data to Replicate Airplane Parts.....	16
2.6	Data for Simulating Instruments/Panels/Displays.....	17
2.6.1	Instruments.....	17
2.6.2	Panels.....	18
2.6.3	CRT Displays.....	18
2.6.4	LCD or Similar Displays.....	20
3.0	AERODYNAMICS AND FLIGHT CONTROLS DATA.....	21
3.1	Simulation Modeling Data.....	21
3.1.1	General Notes and Definitions.....	21
3.1.1.1		21
3.1.1.2		21
3.1.1.3		21
3.1.1.4		21
3.1.1.5		22
3.1.1.6		22

**ARINC SPECIFICATION 450
TABLE OF CONTENTS**

3.1.1.7		22
3.1.1.8		22
3.1.1.9		22
3.1.1.10		22
3.1.1.11		22
3.1.1.12		23
3.1.1.13		23
3.1.2	Airplane Design Data.....	23
3.1.2.1	General Information	23
3.1.2.2	Airplane Geometry, Dimensions and Detail Arrangements.....	23
3.1.3	Lift Force Coefficient – Jet Airplane	24
3.1.4	Lift Force Coefficient – Turboprop Airplane.....	27
3.1.5	Drag Force Coefficient – Jet Airplane	28
3.1.6	Drag Force Coefficient – Turboprop Airplane.....	30
3.1.7	Side Force Coefficient – Jet Airplane	32
3.1.8	Side Force Coefficient – Turboprop Airplane	33
3.1.9	Pitching Moment Coefficient – Jet Airplane.....	34
3.1.10	Pitching Moment Coefficient – Turboprop Airplane	36
3.1.11	Rolling Moment Coefficient – Jet Airplane	38
3.1.12	Rolling Moment Coefficient – Turboprop Airplane.....	39
3.1.13	Yawing Moment Coefficient – Jet Airplane.....	40
3.1.14	Yawing Moment Coefficient – Turboprop Airplane	41
3.1.15	Pitch Control System	42
3.1.15.1		42
3.1.15.2		42
3.1.15.3	Pitch trim data, if applicable to the airplane type, should include:.....	44
3.1.15.4		44
3.1.16	Roll Control System	44
3.1.16.1		44
3.1.16.2		44
3.1.16.3		46
3.1.17	Yaw Control System	46
3.1.17.1		46
3.1.17.2		46
3.1.17.3		47
3.1.18	High Lift Devices.....	47
3.1.18.1		47
3.1.18.2		47
3.1.18.3		48
3.1.19	Spoiler, Speed Brake System and Variable Geometry Systems	48
3.1.19.1		48
3.1.19.2		48
3.1.19.3		49
3.1.19.4		49
3.1.19.5		49
3.2	Aerodynamics, Flight Controls, and Integrated Checkout Data.....	50
3.2.1	General.....	50
3.2.1.1		50
3.2.1.2		50
3.2.1.3		50
3.2.1.4		50
3.2.1.5		51

**ARINC SPECIFICATION 450
TABLE OF CONTENTS**

3.2.1.6		51
3.2.1.7		51
3.2.1.8		51
3.2.1.9		51
3.2.1.10		51
3.2.2	Aerodynamic Checkout Tests	51
3.2.2.1	Static Aerodynamic Model Build-Up Checks	51
3.2.2.2	Dynamic Aerodynamic Response Checks.....	51
3.2.3	Primary Flight Controls Checkout	52
3.2.3.1	General.....	52
3.2.3.2	Pitch Control	52
3.2.3.3	Roll Control	53
3.2.3.4	Yaw Control	53
3.2.4	Secondary Flight Controls Checkout.....	54
3.2.5	Integrated Checkout Tests.....	54
3.2.5.1	Elevator Effectiveness on the Ground	54
3.2.5.2	Engine Failure on the Ground	54
3.2.5.3	Deceleration on the Ground	55
3.2.5.4	Rejected Takeoff	55
3.2.5.5	Takeoff.....	55
3.2.5.6	Minimum Control Speed in the Air (V_{MCA})	56
3.2.5.7	Climb Performance	56
3.2.5.8	Longitudinal Trim	56
3.2.5.9	Ice Effects	56
3.2.5.10	Longitudinal Static Stability	57
3.2.5.11	Longitudinal Mistrim Characteristics.....	57
3.2.5.12	Phugoid.....	57
3.2.5.13	Longitudinal Short Period	57
3.2.5.14	Steady Coordinated Turns (Maneuver Stability or Stick Force Per G)	58
3.2.5.15	Roll Performance	58
3.2.5.16	Steady State Sideslip	58
3.2.5.17	Dutch Roll	58
3.2.5.18	Spiral Stability	59
3.2.5.19	In Flight Acceleration.....	59
3.2.5.20	In Flight Deceleration	59
3.2.5.21	Descent.....	59
3.2.5.22	Ground Effect.....	59
3.2.5.23	Engine Out Trim	60
3.2.5.24	Stall Characteristics	61
3.2.5.25	Airplane Configuration and Power Changes.....	61
3.2.5.26	Landing (Nominal 3 Degree Glidepath)	62
3.2.5.27	Aerodynamic Interference	62
3.2.5.28	Leading/Trailing Edge Flap Failures.....	62
3.2.5.29	Landing Gear Failures.....	62
3.3	Flight Test Validation and Proof of Match Data – Aerodynamics and Flight Controls. 62	
3.3.1	General.....	62
3.3.2	Guidelines for Organization of Flight Test Data.....	64
3.3.3	ICAO Validation Tests – Performance/Handling	65
3.3.4	IATA Validation Tests – Performance/Handling	77
3.3.5	IATA Validation Tests – Automatic Flight Guidance and Control.....	81
3.4	Airplane Manuals Data	81
3.4.1		81

**ARINC SPECIFICATION 450
TABLE OF CONTENTS**

3.4.2		81
4.0	AIRPLANE WEIGHT AND MOMENTS OF INERTIA	83
4.1	Basic Equipped Weight	83
4.2	Airplane Loading	83
4.3	All-Up Weight and CG Movement Limitations	83
4.4	Checkout Data	83
5.0	GROUND HANDLING CHARACTERISTICS AND LANDING GEAR SYSTEM	84
5.1	General	84
5.2	Simulation Modeling Data.....	84
5.2.1	Landing Gear System	84
5.2.1.1		84
5.2.1.2		84
5.2.1.3		84
5.2.1.4		84
5.2.2	Ground Friction	85
5.2.3	Brake System	85
5.2.3.1		85
5.2.3.2		85
5.2.3.3		86
5.2.4	Steering System	86
5.2.4.1		86
5.2.5	Computer Controlled Braking and Steering Systems	88
5.2.6	Shock Strut, Tires and Related Items.....	88
5.2.6.1	Data should be provided to define the following features:.....	88
5.2.6.2		88
5.3	Ground Handling and Landing Gear Checkout	88
5.3.1	Landing Gear	88
5.3.2	Shock Strut.....	88
5.3.3	Ground Friction and Brake Performance.....	89
5.3.4	Steering System	89
5.4	Flight Test Validation and Proof of Match	90
6.0	PROPULSION SYSTEMS.....	91
6.1	General	91
6.2	Simulation Modeling Data.....	91
6.2.1	Descriptive Information	91
6.2.2	Operational Envelope	91
6.2.3	Main Engine Design Data	92
6.2.4	Engine Control	93
6.2.5	Fuel Control	93
6.2.6	Oil Control	94
6.2.7	Propeller Systems (Turboprops Only)	94
6.2.8	Propeller Electronic Control (PEC).....	94
6.2.9	Engine Fuel System.....	95
6.2.10	Thrust Reversers (Jet Airplane)	95
6.2.11	Auxiliary Power Unit.....	95
6.2.11.1	General	95
6.2.11.2	Performance	96
6.2.11.3	Electronic Controller Description	96
6.3	Checkout.....	96
6.3.1	Main Engine Sweep Tests	96

**ARINC SPECIFICATION 450
TABLE OF CONTENTS**

6.3.2	Main Engine Performance	96
6.3.2.1	Steady State Data	96
6.3.2.2	Time Histories	96
6.3.2.3	Turboprop Requirements	97
6.4	Flight Test Validation and Proof of Match	97
6.4.1	Main Engine – Baseline	97
6.4.1.1	Steady State Engine Performance	97
6.4.1.2	Start Transients.....	97
6.4.1.3	Engine Acceleration and Deceleration.....	97
6.4.1.4	Fuel Cut	98
6.4.2	Additional Engines and Thrust Ratings	98
6.4.2.1	Additional Engine Ratings	98
6.4.3	Flight Test Data Requirements for Alternate Engines and Thrust Ratings.....	99
6.4.4	Alternate Engine Controller	100
6.4.5	APU	100
6.4.6	Oil System Verification.....	100
7.0	FUEL SYSTEM	101
7.1	Simulation Modeling Data.....	101
7.1.1	General.....	101
7.1.2	Fuel Pressure	101
7.1.3	Instrumentation.....	101
7.1.4	Fuel Temperature	102
7.1.5	De-fuel.....	102
7.1.6	Refueling	102
7.1.7	Jettison	102
7.1.8	Flows	102
7.1.9	Electronic Controller Description.....	103
7.2	System Verification.....	103
8.0	AUGMENTED AND AUTOMATIC FLIGHT CONTROL SYSTEMS	104
8.1	General	104
8.2	Simulation Modeling Data.....	104
8.3	Data Required for FSTDs using Airplane Computers	104
8.3.1		104
8.3.2		105
8.4	Windshear Guidance System	105
8.4.1	General Notes	105
8.4.2	Simulation Data	105
8.5	System Verification.....	105
8.5.1		105
8.5.2		106
8.5.3		106
8.5.4		106
8.6	Requirements for Additional/Alternate Avionics Validation Data	106
9.0	ENVIRONMENTAL CONTROL SYSTEMS (ECS).....	108
9.1	General	108
9.1.1		108
9.1.2		108
9.1.3		108
9.1.4		108
9.1.5		108

**ARINC SPECIFICATION 450
TABLE OF CONTENTS**

9.2	Simulation Modeling Data.....	108
9.2.1	Pneumatic System.....	108
9.2.1.1		108
9.2.1.2		108
9.2.1.3		109
9.2.2	Air Conditioning System.....	109
9.2.2.1		109
9.2.2.2		109
9.2.2.3		109
9.2.2.4		109
9.2.2.5		109
9.2.2.6		109
9.2.3	Pressurization System	110
9.2.4	Equipment Cooling	110
9.2.4.1		110
9.2.4.2		110
9.3	System Verification.....	110
9.3.1	Pneumatic System.....	110
9.3.1.1	On-Ground Checks	111
9.3.1.2	In-Flight Checks	111
9.3.2	Air Conditioning System.....	111
9.3.2.1	On-Ground Checks	111
9.3.2.2	In-Flight Checks	111
9.3.3	Pressurization System	111
9.3.3.1	On-Ground Checks	111
9.3.3.2	In-Flight Checks	111
9.3.4	Equipment Cooling System.....	111
9.3.4.1	On-Ground Checks	111
9.3.4.2	In-Flight Checks	111
10.0	HYDRAULIC SYSTEM.....	112
10.1	Simulation Modeling Data.....	112
10.1.1	General Requirements.....	112
10.1.2	Fluid Quantity and Temperature	112
10.1.3	Hydraulic Pressures.....	112
10.1.4	Electronic Controller Description.....	113
10.2	System Verification.....	113
10.2.1		113
10.2.2		113
10.2.3		114
10.2.4		114
10.2.5		114
10.2.6		114
11.0	ELECTRICAL POWER SYSTEM	115
11.1	Simulation Modeling Data.....	115
11.2	System Verification.....	115
12.0	MISCELLANEOUS SYSTEMS	116
12.1	General	116
12.2	ICE Protection System	116
12.2.1		116
12.2.2		116