



# **MARK 33 DIGITAL INFORMATION TRANSFER SYSTEM (DITS) – PART 3 - FILE DATA TRANSFER TECHNIQUES**

## **ARINC SPECIFICATION 429P3-19**

**PUBLISHED: June 25, 2009**

AN **ARINC** DOCUMENT

Prepared by AEEC  
Published by  
AERONAUTICAL RADIO, INC.  
2551 RIVA ROAD, ANNAPOLIS, MARYLAND 21401-7435

This is a preview. [Click here to purchase the full publication.](#)

### **DISCLAIMER**

THIS DOCUMENT IS BASED ON MATERIAL SUBMITTED BY VARIOUS PARTICIPANTS DURING THE DRAFTING PROCESS. NEITHER AEEC, AMC, FSEMC NOR ARINC HAS MADE ANY DETERMINATION WHETHER THESE MATERIALS COULD BE SUBJECT TO VALID CLAIMS OF PATENT, COPYRIGHT OR OTHER PROPRIETARY RIGHTS BY THIRD PARTIES, AND NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, IS MADE IN THIS REGARD.

ARINC INDUSTRY ACTIVITIES USES REASONABLE EFFORTS TO DEVELOP AND MAINTAIN THESE DOCUMENTS. HOWEVER, NO CERTIFICATION OR WARRANTY IS MADE AS TO THE TECHNICAL ACCURACY OR SUFFICIENCY OF THE DOCUMENTS, THE ADEQUACY, MERCHANTABILITY, FITNESS FOR INTENDED PURPOSE OR SAFETY OF ANY PRODUCTS, COMPONENTS, OR SYSTEMS DESIGNED, TESTED, RATED, INSTALLED OR OPERATED IN ACCORDANCE WITH ANY ASPECT OF THIS DOCUMENT OR THE ABSENCE OF RISK OR HAZARD ASSOCIATED WITH SUCH PRODUCTS, COMPONENTS, OR SYSTEMS. THE USER OF THIS DOCUMENT ACKNOWLEDGES THAT IT SHALL BE SOLELY RESPONSIBLE FOR ANY LOSS, CLAIM OR DAMAGE THAT IT MAY INCUR IN CONNECTION WITH ITS USE OF OR RELIANCE ON THIS DOCUMENT, AND SHALL HOLD ARINC, AEEC, AMC, FSEMC AND ANY PARTY THAT PARTICIPATED IN THE DRAFTING OF THE DOCUMENT HARMLESS AGAINST ANY CLAIM ARISING FROM ITS USE OF THE STANDARD.

THE USE IN THIS DOCUMENT OF ANY TERM, SUCH AS SHALL OR MUST, IS NOT INTENDED TO AFFECT THE STATUS OF THIS DOCUMENT AS A VOLUNTARY STANDARD OR IN ANY WAY TO MODIFY THE ABOVE DISCLAIMER. NOTHING HEREIN SHALL BE DEEMED TO REQUIRE ANY PROVIDER OF EQUIPMENT TO INCORPORATE ANY ELEMENT OF THIS STANDARD IN ITS PRODUCT. HOWEVER, VENDORS WHICH REPRESENT THAT THEIR PRODUCTS ARE COMPLIANT WITH THIS STANDARD SHALL BE DEEMED ALSO TO HAVE REPRESENTED THAT THEIR PRODUCTS CONTAIN OR CONFORM TO THE FEATURES THAT ARE DESCRIBED AS MUST OR SHALL IN THE STANDARD.

ANY USE OF OR RELIANCE ON THIS DOCUMENT SHALL CONSTITUTE AN ACCEPTANCE THEREOF "AS IS" AND BE SUBJECT TO THIS DISCLAIMER.

## ARINC SPECIFICATION 429P3-19

### MARK 33 DIGITAL INFORMATION TRANSFER SYSTEM (DITS) – PART 3 - FILE DATA TRANSFER TECHNIQUES

Published: June 25, 2009

Prepared by the AEEC		
Specification 429P3	Adopted by the AEEC Executive Committee	July 21, 1977
Summary of Document Supplements		
Supplement	Adoption Date	Published
Specification 429P3-1	April 11, 1978	June 1, 1978
Specification 429P3-2	December 6, 1978	March 1, 1979
Specification 429P3-3	August 31, 1979	November 1, 1979
Specification 429P3-4	June 17, 1980	August 1, 1980
Specification 429P3-5	March 12, 1981	April 24, 1981
Specification 429P3-6	December 9, 1981	January 22, 1982
Specification 429P3-7	November 4, 1983	January 3, 1984
Specification 429P3-8	November 4, 1984	December 3, 1984
Specification 429P3-9	October 11, 1984	April 30, 1985
Specification 429P3-10	November 7, 1985	November 17, 1986
Specification 429P3-11	June 15, 1988	July 22, 1988
Specification 429P3-12	October 25, 1989	July 1, 1990
Specification 429P3-13	October 8, 1991	December 30, 1991
Specification 429P3-14	November 4, 1992	January 4, 1993
Specification 429P3-15	April 18, 1995	September 1, 1995
Specification 429P3-16	June 24, 1997	June 30, 1997
Specification 429P3-17	March 31, 1999	May 17, 1999
Specification 429P3-18	July 18, 2001	October 12, 2001
Specification 429P3-19	October 22, 2008	June 25, 2009

A description of the changes introduced by each supplement is included on Goldenrod paper at the end of this document.

[This is a preview. Click here to purchase the full publication.](#)

## FOREWORD

### Aeronautical Radio, Inc., the AEEC, and ARINC Standards

ARINC organizes aviation industry committees and participates in related industry activities that benefit aviation at large by providing technical leadership and guidance. These activities directly support aviation industry goals: promote safety, efficiency, regularity, and cost-effectiveness in aircraft operations.

ARINC Industry Activities organizes and provides the secretariat for international aviation organizations (AEEC, AMC, FSEMC) which coordinate the work of aviation industry technical professionals and lead the development of technical standards for airborne electronic equipment, aircraft maintenance equipment and practices and flight simulator equipment and used in commercial, military, and business aviation. The AEEC, AMC, and FSEMC develop consensus-based, voluntary standards that are published by ARINC and are known as ARINC Standards. The use of ARINC Standards results in substantial benefits to the aviation industry by allowing avionics interchangeability and commonality and reducing avionics cost by promoting competition.

There are three classes of ARINC Standards:

- a) ARINC Characteristics – Define the form, fit, function, and interfaces of avionics and other airline electronic equipment. ARINC Characteristics indicate to prospective manufacturers of airline electronic equipment the considered and coordinated opinion of the airline technical community concerning the requisites of new equipment including standardized physical and electrical characteristics to foster interchangeability and competition.
- b) ARINC Specifications – Are principally used to define either the physical packaging or mounting of avionics equipment, data communication standards, or a high-level computer language.
- c) ARINC Reports – Provide guidelines or general information found by the airlines to be good practices, often related to avionics maintenance and support.

The release of an ARINC Standard does not obligate any organization or ARINC to purchase equipment so described, nor does it establish or indicate recognition or the existence of an operational requirement for such equipment, nor does it constitute endorsement of any manufacturer's product designed or built to meet the ARINC Standard.

In order to facilitate the continuous product improvement of this ARINC Standard, two items are included in the back of this volume:

An Errata Report solicits any corrections to the text or diagrams in this ARINC Standard.

An ARINC IA Project Initiation/Modification (APIM) form solicits any recommendations for addition of substantive material to this volume which would be the subject of a new Supplement.

**ARINC SPECIFICATION 429 PART 3**  
**TABLE OF CONTENTS**

1.0	INTRODUCTION .....	1
1.1	Purpose of this Document .....	1
1.2	Organization of ARINC Specification 429 .....	1
1.3	Development of File Data Transfer .....	1
1.3.1	File Data Transfer Techniques – Basic Philosophy .....	2
1.3.2	Data Transfer .....	2
1.3.3	Broadcast Data .....	2
1.3.4	File Data Transfer .....	2
1.3.5	Transmission Order .....	3
1.3.5.1	Data Bit Encoding Logic .....	3
1.3.6	Bit-Oriented Protocol Determination .....	3
1.4	Relationship to Other Standards .....	3
2.0	BIT-ORIENTED FILE TRANSFER PROTOCOL .....	5
2.1	Reserved .....	5
2.2	Reserved .....	5
2.3	Reserved .....	5
2.4	Reserved .....	5
2.5	Bit-Oriented Communications Protocol .....	5
2.5.1	Link Data Units (LDU) .....	7
2.5.2	Link Data Unit (LDU) Size and Word Count .....	7
2.5.3	System Address Labels (SALS) .....	8
2.5.4	Bit Rate and Word Timing .....	8
2.5.5	Word Type .....	9
2.5.6	Protocol Words .....	9
2.5.6.1	Protocol Identifier .....	9
2.5.6.2	Destination Code .....	9
2.5.6.3	Word Count .....	9
2.5.7	Request To Send (RTS) .....	10
2.5.7.1	Clear To Send (CTS) .....	10
2.5.7.2	Not Clear To Send (NCTS) .....	10
2.5.7.3	Destination Busy (BUSY) .....	11
2.5.7.4	No Response to RTS .....	11
2.5.8	Conflicting RTS Transmissions .....	12
2.5.8.1	Half Duplex Mode .....	12
2.5.8.2	Full Duplex Mode .....	12
2.5.9	Unexpected RTS .....	12
2.5.10	Start Of Transmission (SOT) .....	13
2.5.10.1	General Format Identifier (GTI) .....	13

**ARINC SPECIFICATION 429 PART 3  
TABLE OF CONTENTS**

2.5.10.2	File Sequence Number.....	13
2.5.10.3	LDU Sequence Number .....	13
2.5.11	Data .....	14
2.5.11.1	Full Data Word(s) .....	14
2.5.11.2	Partial Data Word(s).....	14
2.5.12	End of Transmission (EOT) .....	15
2.5.12.1	CRC Encoding.....	15
2.5.12.2	CRC Decoding .....	16
2.5.13	Negative Acknowledgement (NAK).....	17
2.5.13.1	Missing SOT Word .....	17
2.5.13.2	Missing EOT Word .....	17
2.5.13.3	Parity Errors .....	17
2.5.13.4	Word Count Errors .....	18
2.5.13.5	CRC Errors.....	18
2.5.13.6	Time Out Errors.....	18
2.5.14	LDU Transfer Acknowledgement (ACK) .....	18
2.5.14.1	Duplicate LDU .....	18
2.5.14.2	Auto-Synchronized Files .....	18
2.5.14.3	Incomplete File Timer.....	19
2.5.15	SYN Word .....	19
2.5.16	Response to ACK/NAK/SYN.....	20
2.5.17	Solo Word (Single Word Transfers) .....	20
2.5.17.1	Test Word and Loop Word .....	21
2.5.17.2	Optional Solo Word Definitions .....	21
2.5.18	Optional End-To-End Message Verification .....	21
2.5.19	Protocol Initialization .....	21
2.5.19.1	Bit-Oriented Protocol Version.....	22
2.5.19.1.1	ALOHA.....	22
2.5.19.1.2	ALOHA Response.....	23
2.5.19.2	Williamsburg/File Transfer Determination .....	24
2.6	Window Bit-Oriented Communications Protocol.....	25
3.0	BIT-ORIENTED MEDIA ACCESS CONTROL (MAC) PROTOCOL .....	26
3.1	Bit-Oriented Media Access Control (MAC) Protocol.....	26
3.1.1	Introduction .....	26
3.1.2	Relationship Between Version 1 and Version 3 Protocols.....	27
3.1.3	Protocol Architecture.....	28

**ARINC SPECIFICATION 429 PART 3**  
**TABLE OF CONTENTS**

3.1.4	Buffering.....	28
3.2	Media Access Control (MAC) Sublayer .....	29
3.2.1	MAC Sublayer Service Specification .....	29
3.2.2	MA_DATA.request .....	30
3.2.2.1	Function .....	30
3.2.2.2	Semantics .....	30
3.2.2.2.1	destination_MA_address .....	31
3.2.2.2.2	destination_SAL_address.....	31
3.2.2.2.3	m_sdu.....	31
3.2.2.2.4	service_class .....	31
3.2.2.3	When Generated .....	32
3.2.2.4	Effect of Receipt.....	32
3.2.3	MA_DATA.indication.....	32
3.2.3.1	Function .....	32
3.2.3.2	Semantics .....	33
3.2.3.2.1	destination_MA_address .....	33
3.2.3.2.2	destination_SAL_address.....	33
3.2.3.2.3	source_MA_address.....	33
3.2.3.2.4	source_SAL_address .....	33
3.2.3.2.5	m_sdu.....	33
3.2.3.2.6	reception_status .....	34
3.2.3.2.7	service_class .....	34
3.2.3.3	When Generated .....	34
3.2.3.4	Effect of Receipt.....	34
3.2.4	MAC Control Functions.....	34
3.2.4.1	MA_CONTROL.request .....	35
3.2.4.2	MA_CONTROL.indication .....	36
3.3	MAC Frame Structures.....	36
3.3.1	Information Frame Format .....	37
3.3.1.1	Address Fields .....	37
3.3.1.2	Length/Type Field .....	37
3.3.1.2.1	Length.....	38
3.3.1.2.2	Type.....	38
3.3.1.3	Data Field.....	38
3.3.1.4	Frame Check Sequence (FCS) Field .....	38
3.3.1.5	Validation of Information Frame .....	39
3.3.1.5.1	Invalid Address .....	39
3.3.1.5.2	Invalid Length/Type .....	39
3.3.1.5.3	Invalid FCS.....	39

**ARINC SPECIFICATION 429 PART 3  
TABLE OF CONTENTS**

3.3.2	Command Frame Format.....	39
3.3.2.1	GFI Field .....	40
3.3.2.2	Command Type Field .....	40
3.3.2.3	Data Field.....	40
3.3.2.4	Frame Check Sequence (FCS) Field .....	40
3.3.2.5	Validation of Command Frame.....	40
3.3.2.5.1	Invalid FCS .....	40
3.4	MAC Transmit/Receive Functions .....	40
3.4.1	Frame Data Unit (FDU) .....	40
3.4.2	Frame Data Unit (FDU) Size and Word Count.....	41
3.4.3	System Address Labels (SALs) .....	41
3.4.4	Bit Rate and Word Timing .....	42
3.4.5	Word Type .....	42
3.4.6	Start of Frame (SOF) .....	42
3.4.6.1	Information/Command (I/C) Frame Field.....	42
3.4.6.2	Information SOF Word .....	43
3.4.6.2.1	Word Count .....	43
3.4.6.2.2	Reserved Bits .....	43
3.4.6.3	Command SOF Word.....	43
3.4.6.3.1	Word Count .....	43
3.4.6.3.2	Reserved Bits .....	43
3.4.6.3.3	General Format Identifier Field (GFI) .....	44
3.4.6.3.4	Command Type Field (CT) .....	44
3.4.7	Data .....	44
3.4.7.1	Full Data Word(s) .....	45
3.4.7.2	Partial Data Word(s).....	45
3.4.7.3	SOLO Words .....	45
3.4.8	End Of Frame (EOF).....	45
3.4.9	Frame Check Sequence .....	46
3.4.9.1	32-Bit CRC Encoding .....	46
3.4.9.2	32-Bit CRC Decoding .....	47
3.4.10	Incomplete FDU Timer .....	48
3.4.11	ALOHA.....	48
3.4.12	Validation of FDU's .....	49
3.4.12.1	Missing SOF Word .....	49
3.4.12.2	Missing EOF Word(s) .....	50
3.4.12.3	Parity Errors .....	50



**ARINC SPECIFICATION 429 PART 3  
TABLE OF CONTENTS**

3.4.12.4	Word Count Errors .....	50
3.4.12.5	CRC Errors.....	50
3.4.13	Inter-FDU Gap Time .....	51

**ATTACHMENTS**

1-9	Attachments 1-9.....	52
10	Variables of Bit-Oriented Protocol .....	53
11	Bit-Oriented Data File Transfer Word Formats .....	60
11A	Destination Codes .....	66
11B	Status Codes .....	68
11C	ALOHA/ALOHA Response Protocol Word Definition .....	69
12	Version 1 File Transfer Example .....	70
12A	Field Mapping Example .....	71
13	Protocol Determination Procedure Diagrams .....	72
13A	ALOHA Version Determination Sequence.....	74
14	System Address Label.....	75
15	(deleted by Supplement 16).....	76
16	(deleted by Supplement 16).....	77
17	Flow Diagram Used to Determine Character-Oriented vs Bit-Oriented Protocol.....	78
18	MAC Sublayer Support Diagrams.....	79
19	Command Frame Data Unit (FDU) Structure and Examples.....	81
20	Information Frame Data Unit (FDU) Structure and Example .....	83

**APPENDICES**

A-E	Appendices A-E.....	85
F	Former Aim and File Data Transfer Techniques.....	86
G	Mathematical Example of CRC Encoding/Decoding .....	95
H	Interoperability of Bit-Oriented Link Layer Protocol .....	98
I	SDL Diagrams of the Version 1 Williamsburg Protocol .....	99
J	Protocol Structure.....	118
K	Glossary & Acronyms .....	121

ARINC Standard – Errata Report

ARINC IA Project Initiation/Modification (APIM) Guidelines for Submittal

