

# Wiring Rules

### AS/NZS 3000:2000

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL/1. It was approved on behalf of the Council of Standards Australia on 23 August 1999 and on behalf of the Council of Standards New Zealand on 06 September 1999. It was published on 15 September 1999, however it is designated a year 2000 edition.

The following interests are represented on Committee EL/1:

The Association of Consulting Engineers Australia

Australian Building Codes Board

Australian Electrical and Electronic Manufacturers Association

Communications, Electrical Plumbing Union

**Electrical Contractors Association of New Zealand** 

**Electrical Contractors Association Qld** 

Electrical Safety Organization (New Zealand)

**Electricity Supply Association of Australia** 

Institute of Electrical Inspectors

Institution of Engineers Australia

Insurance Council of Australia Limited

Ministry of Commerce NZ

National Electrical Contractors Association of Australia

New Zealand Council of Elders

New Zealand Electrical Institute

Regulatory Authorities (Electrical)

Telstra Corporation Limited.

**Review of Standards**. To keep abreast of progress in industry, Joint Australian/New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 98164.

### AS/NZS 3000:2000

(Incorporating Amendment Nos 1, 2 and 3)

# Australian/New Zealand Standard™

# ELECTRICAL INSTALLATIONS (known as the Australian/New Zealand Wiring Rules)

Originated as part of AS CC1—1931.
Previous edition AS 3000—1991.
Jointly revised and designated AS/NZS 3000:2000.
Reissued and incorporating Amendment No. 1 (September 2001).
Reissued incorporating Amendment No. 2 (April 2002).
Reissued incorporating Amendment No. 3 (July 2003).

### **COPYRIGHT**

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 2934 7

This is a preview. Click here to purchase the full publication.

### **PREFACE**

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL/1, Wiring Rules, to supersede, in Australia, AS 3000 — 1991, Electrical installations — Buildings, structures and premises (known as the SAA Wiring Rules) and, in New Zealand, selected parts of NZS 3000:1997 Electrical installations — Buildings, structures and premises (known as the NZS Wiring Rules) as nominated by the appropriate regulator.

This Standard incorporates Amendment No. 1 (September 2001) and Amendment No. 2 (April 2002) and Amendment No. 3 (July 2003). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

This edition of the Standard is based on the following considerations:

- (a) Requests from large sections of the electrical industry for a document more relevant to the present electrical regulatory structure.
- (b) Requests for a joint Australian/New Zealand document.
- (c) Experience gained in the application of the tenth (1991) edition as expressed to Standards Australia.

During preparation of this Standard, reference was made to IEC 60364, *Electrical installations of buildings* (all parts), BS 7671:1992, *Requirements for electrical installations* and the *National Rules For Electrical Installations* (Second Edition) of Ireland, and acknowledgment is made of the assistance received from these sources.

The presentation of this edition differs from previous editions of AS 3000. Sections 1 to 5 cover essentially the same aspects of the subject as Sections 1 to 5 of the previous edition but there is no close correlation between clause numbers. Other major changes to the content of the previous edition include the following:

- (i) The introduction of internationally accepted performance based requirements for the integration of the characteristics of protective devices with the earthing system impedance (fault-loop impedance), touch-voltage limits and maximum disconnection times under fault conditions (see Clause 1.7.4.3).
- (ii) The deletion of many prescriptive 'work practices' and the allowance of alternative methods provided they satisfy the fundamental requirements of Section 1.
- (iii) The introduction of a new Section 6, covering visual inspection and testing.
- (iv) The introduction of an IEC-style Section 7 containing particular requirements for special locations and situations, e.g. swimming pools, extra-low voltage installations and emergency systems.

- (v) The deletion of the limited range of current-carrying capacities for cables and busbars.
- (vi) The inclusion of guidance on the calculation of maximum demand in Appendix C.
- (vii) The application of the requirements to electrical installations which might affect livestock.

Some of these provisions were included in NZS 3000.

Equations have been given the same number as the clause in which they appear.

An electric shock survival (resuscitation) chart is provided only for guidance; persons associated with the installation and repair of electrical installations and electrical equipment should obtain training in resuscitation methods.

This Standard may be applied through legislative requirements, as indicated in Clause 1.2. As this Standard supersedes AS 3000—1991, in Australia, and NZS 3000:1997, in New Zealand, it would normally apply to electrical installations from its date of publication, but it is recommended that it not be applied on a mandatory basis before a date at least six months after publication. However, if work on an installation was commenced before publication of this edition, the relevant regulatory authority or electricity distributor may grant permission for the installation to be completed in accordance with AS 3000—1991 or NZS 3000:1997.

The attention of users of this Standard is drawn to Doc 3000 N (2000) What's new in the Wiring Rules, which outlines the major changes to this Standard as compared to AS 3000—1991.

Supplement No 1 (1991), which contained current-carrying capacities for cables with imperial dimensions, has been withdrawn.

All Rulings to AS 3000—1991 have either been incorporated into this Standard or withdrawn. New Rulings will be prepared as requested and when published will be available for purchase from Standards Australia or Standards New Zealand.

Statements expressed in mandatory terms in notes to tables and figures are deemed to be requirements of this Standard.

The term, 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

## **CONTENTS**

		Page
FOREV	VORD	11
SECTIO	ON 1 SCOPE AND FUNDAMENTAL SAFETY PRINCIPLES	
1.1	SCOPE	12
1.2	APPLICATION	12
1.3	REFERENCED DOCUMENTS	13
1.4	DEFINITIONS	
1.5	ALTERATIONS, ADDITIONS AND REPAIRS	27
1.6	ALTERNATIVE ARRANGEMENTS	28
1.7	PROTECTION FOR SAFETY	28
1.8	DESIGN OF AN ELECTRICAL INSTALLATION	38
1.9	SELECTION OF ELECTRICAL EQUIPMENT	41
1.10	INSTALLATION OF ELECTRICAL EQUIPMENT	43
1.11	INSPECTION AND TESTING	44
SECTIO	ON 2 SELECTION AND INSTALLATION OF SWITCHGEAR AND CONTROLGEAR	
2.1	GENERAL	46
2.2	COMMON REQUIREMENTS	46
2.3	DEVICES FOR PROTECTION AGAINST INDIRECT CONTACT	47
2.4	DEVICES FOR PROTECTION AGAINST OVERCURRENT	47
2.5	PROTECTION AGAINST EARTH LEAKAGE CURRENT	53
2.6	PROTECTION AGAINST OVERVOLTAGE	55
2.7	PROTECTION AGAINST UNDERVOLTAGE	56
2.8	DEVICES FOR ISOLATION AND SWITCHING	57
2.9	SWITCHBOARDS	66
SECTIO	ON 3 SELECTION AND INSTALLATION OF WIRING SYSTEMS	
3.1	GENERAL	72
3.2	TYPES OF WIRING SYSTEMS	72
3.3	EXTERNAL INFLUENCES	72
3.4	CURRENT-CARRYING CAPACITY	79
3.5	CONDUCTOR SIZE	82
3.6	VOLTAGE DROP	84
3.7	ELECTRICAL CONNECTIONS	85
3.8	IDENTIFICATION	87
3.9	INSTALLATION REQUIREMENTS	88
	ENCLOSURE OF CABLES	
3.11	UNDERGROUND WIRING SYSTEMS	100
3.12	AERIAL WIRING SYSTEMS	105
3 13	CABLES SUPPORTED BY A CATENARY	111

		Page
3.14	EMERGENCY SYSTEMS	. 111
3.15	BUSBAR TRUNKING SYSTEMS (BUSWAYS), INCLUDING	
	RISING MAINS SYSTEMS	
3.16	B EARTH SHEATH RETURN (ESR) SYSTEM	113
SECTI	ON 4 INSTALLATION OF APPLIANCES AND ACCESSORIES	
4.1	GENERAL	114
4.2		
	INJURY FROM MECHANICAL MOVEMENT	
4.3	ELECTRICAL EQUIPMENT REQUIRING PROTECTION AGAINST	
	THERMAL EFFECTS	
4.4		
4 =	EXPLOSION	
4.5	TRANSFORMERS	
4.6 4.7	CAPACITORSBATTERIES	
4.7	ALTERNATIVE SUPPLY SYSTEMS	
4.9	SOCKET-OUTLETS	
	OTHER ELECTRICAL EQUIPMENT	
	CONNECTION OF ELECTRICAL EQUIPMENT	
SECTI	ON 5 EARTHING ARRANGEMENTS AND EARTHING	
5.1	CONDUCTORS GENERAL	124
5.1 5.2	EARTHING ARRANGEMENTS	
5.3	MULTIPLE EARTHED NEUTRAL (MEN) SYSTEM	
5.4	EARTHING REQUIREMENTS	
5.5	EARTHING CONDUCTORS	
5.6	EARTHING SYSTEM PARTS	
5.7	EARTHING OF ELECTRICAL EQUIPMENT	. 155
5.8	EQUIPOTENTIAL BONDING	159
5.9	PROTECTION BY ELECTRICAL SEPARATION	163
5.10	OTHER EARTHING ARRANGEMENTS	163
SECTI	ON 6 TESTING AND VERIFICATION	
6.1	GENERAL	164
6.2	VISUAL INSPECTION	164
6.3	TESTING	166
SECTI	ON 7 REQUIREMENTS FOR SPECIAL ELECTRICAL	
SECTI	INSTALLATIONS OR LOCATIONS	
7.1	LOCATIONS CONTAINING BATHS, SHOWERS OR	
	OTHER FIXED WATER CONTAINERS	. 172
7.2	SWIMMING POOLS, PADDLING POOLS AND SPA POOLS	
	OR TUBS	183

		Page
7.3	LOCATIONS CONTAINING SAUNA HEATERS	190
7.4	REFRIGERATION ROOMS	193
7.5	LOCATIONS WHERE GENERAL HOSING DOWN	
	OPERATIONS ARE CARRIED OUT	195
7.6	FOUNTAINS AND WATER FEATURES	196
7.7	EXTRA-LOW VOLTAGE ELECTRICAL INSTALLATIONS	199
7.8	HIGH VOLTAGE ELECTRICAL INSTALLATIONS	203
7.9	HAZARDOUS AREAS	216
7.10	EMERGENCY SYSTEMS	218
7.11	SPECIFIC ELECTRICAL INSTALLATION STANDARDS	227
APPEN	DICES	
Α	LIST OF REFERENCED DOCUMENTS	229
В	CIRCUIT ARRANGEMENTS	234
С	CALCULATION OF MAXIMUM DEMAND	244
D	AERIAL LINES DATA	262
INDEX		272
FLECT	RIC SHOCK SURVIVAL	292

## LIST OF TABLES

		ı	Page
	3.1	ACCEPTABLE TYPES OF CABLE WIRING SYSTEMS	74
	3.2	EXAMPLES OF METHODS OF INSTALLATION OF WIRING SYSTEMS	76
	3.3	LIMITING TEMPERATURES FOR INSULATED CABLES	
	3.4	NOMINAL MINIMUM CROSS-SECTIONAL AREA OF	00
		CONDUCTORS	82
	3.5	COLOURS OF CABLE CORES	87
	3.6	UNDERGROUND WIRING SYSTEM	. 102
	3.7	UNDERGROUND WIRING SYSTEM CATEGORIES	. 104
	3.8	MINIMUM AERIAL CONDUCTOR CLEARANCES	. 108
	3.9	AERIAL CONDUCTOR MAXIMUM SPANS	. 109
	3.10	SPACING BETWEEN AERIAL CONDUCTORS	
		AT SUPPORTS	. 109
	4.1	TEMPERATURE LIMITS IN NORMAL SERVICE FOR PARTS	
		OF ELECTRICAL EQUIPMENT WITHIN ARM'S REACH	
·	5.1		. 138
.3	7.1	GUIDANCE ON THE SELECTION AND INSTALLATION OF	
		ELECTRICAL EQUIPMENT	. 177
	7.8.1	TYPICAL VALUES OF K FOR CALCULATION OF COPPER	040
	700	EARTHING CONDUCTORS	. 213
	7.8.2	SUBSTATION EARTHING—NEUTRAL CONNECTING	242
	D11	CONDUCTORS  MAXIMUM VALUES OF FAULT LOOP IMPEDANCE ( $Z_s$ )	. 213
	D4. I	AT 230 V a.c	230
	R5 1	MAXIMUM CIRCUIT LENGTHS, IN METRES, FOR DIFFERENT	. 239
	DJ. 1	SIZES OF CONDUCTORS AND PROTECTIVE DEVICES	
		USING APPROXIMATE MEAN TRIPPING CURRENTS (I <sub>a</sub> )	243
	C1	MAXIMUM DEMAND—SINGLE AND MULTIPLE DOMESTIC	
		ELECTRICAL INSTALLATIONS	. 245
	C2	MAXIMUM DEMAND—NON-DOMESTIC ELECTRICAL	
		INSTALLATIONS	. 249
	D1	STRINGING DATA FOR AERIAL LINES	. 263
	D2	MINIMUM SIZE OF INTERMEDIATE, TERMINAL OR ANGLE	
		POSTS FOR AERIAL CONDUCTORS—INSULATED	
		HARD-DRAWN COPPER CONDUCTORS—SQUARE	
		SAWN UNTREATED TIMBER POSTS	. 264
	D3	MINIMUM SIZE OF INTERMEDIATE, TERMINAL OR ANGLE	
		POSTS FOR AERIAL CONDUCTORS—INSULATED	
		HARD-DRAWN COPPER CONDUCTORS—ROUND	265
			100

A3