

Edition 9.0 2020-08

INTERNATIONAL STANDARD

Luminaires -

Part 1: General requirements and tests





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



Edition 9.0 2020-08

INTERNATIONAL STANDARD

Luminaires -

Part 1: General requirements and tests

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.140.40 ISBN 978-2-8322-8682-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWO	DRD	9
SECTION	NO: GENERAL INTRODUCTION	12
0.1	Scope	12
0.2	Normative references	13
0.3	General requirements	16
0.4	General test requirements and verification	16
0.5	Components of luminaires	17
0.6	List of parts of IEC 60598-2	
0.7	Information for luminaire design in light sources standards	
SECTION	N 1: TERMS AND DEFINITIONS	20
1.1	General	
1.2	Terms and definitions	
SECTION	N 2: CLASSIFICATION OF LUMINAIRES	36
2.1	General	36
2.2	Classification according to type of protection against electric shock	36
2.3	Classification according to degree of protection against ingress of dust, solid objects and moisture	36
2.4	Classification according to material of supporting surface for which the luminaire is designed	36
2.5	Classification according to the circumstances of use	37
SECTION	N 3: MARKING	38
3.1	General	38
3.2	Marking on luminaires	38
3.3	Additional information	44
3.4	Test of marking	47
SECTION	N 4: CONSTRUCTION	48
4.1	General	48
4.2	Replaceable components	48
4.3	Wireways	48
4.4	Lampholders	48
4.5	Starterholders	50
4.6	Terminal blocks	50
4.7	Terminals and supply connections	51
4.8	Switches	
4.9	Insulating linings and sleeves	
4.10	Double and reinforced insulation	
4.11	Electrical connections and current-carrying parts	
4.12	Screws and connections (mechanical) and glands	
4.13	Mechanical strength	
4.14	Suspensions, fixings and means of adjustment	
4.15	Flammable materials	
4.16	Luminaires for mounting on normally flammable surfaces	
4.17	Drain holes	
4.18	Resistance to corrosion	
4.19	Ignitors	
4 20	Rough service luminaires – Vibration requirements	71

4.21	Protective shield	71
4.22	Attachments to lamps	72
4.23	Semi-luminaires	72
4.24	Photobiological hazards	72
4.25	Mechanical hazard	73
4.26	Short-circuit protection	73
4.27	Terminal blocks with integrated screwless protective earthing contacts	74
4.28	Fixing of thermal sensing controls	
4.29	Luminaire with non-replaceable light source	
4.30	Luminaires with non-user replaceable light sources	
4.31	Insulation between circuits	
4.32	Overvoltage protective devices	
4.33	Luminaire powered via information technology communication cabling	
4.34	Electromagnetic fields (EMF)	
4.35	Protection against moving fan blades	
4.36	Track-mounted luminaires	
	5: EXTERNAL AND INTERNAL WIRING	
5.1	General	
5.2	Supply connection and other external wiring	
5.3	Internal wiring	
5.4	Test to determine suitability of conductors having a reduced cross-sectional	01
5.4	area	89
SECTION	6: Void	
	7: PROVISION FOR EARTHING	
7.1	General	
7.2	Provision for earthing	
	8: PROTECTION AGAINST ELECTRIC SHOCK	
8.1	General	
8.2	Protection against electric shock	
SECTION	9: RESISTANCE TO DUST, SOLID OBJECTS AND MOISTURE	99
9.1	General	99
9.2	Tests for ingress of dust, solid objects and moisture	99
9.3	Humidity test	103
	10: INSULATION RESISTANCE AND ELECTRIC STRENGTH, TOUCH	
CURREN	T AND PROTECTIVE CONDUCTOR CURRENT	
10.1	General	
10.2	Insulation resistance and electric strength	
10.3	Touch current, protective conductor current and electric burn	
SECTION	11: CREEPAGE DISTANCES AND CLEARANCES	111
11.1	General	111
11.2	Creepage distances and clearances	111
SECTION	12: ENDURANCE TEST AND THERMAL TEST	115
12.1	General	115
12.2	Selection of lamps and ballasts	
12.3	Endurance test	
12.4	Thermal test (normal operation)	
12.5	Thermal test (abnormal operation)	
12.6	Thermal test (failed windings in Jamp control goar)	127

12.7	Thermal test in regard to fault conditions in lamp controlgear or electronic	400
SECTION	devices incorporated in thermoplastic luminaires	
	13: RESISTANCE TO HEAT, FIRE AND TRACKING	
13.1	General	
13.2	Resistance to heat	
13.3	Resistance to flame and ignition	
13.4	Resistance to tracking	
14.1 14.2	General Terms and definitions	
14.2	General requirements and basic principles	
14.3	Mechanical tests	
	15: SCREWLESS TERMINALS AND ELECTRICAL CONNECTIONS	
15.1	General	
15.1 15.2	Terms and definitions	
15.2	General requirements	
15.3	General instructions on tests	
15.4	Terminal and connections for internal wiring	
15.6	Terminals and connections for internal wiring	
	(normative) Test to establish whether a conductive part can cause an electric	140
		173
Annex B (normative) Test lamps	174
B.1	General	
B.2	Filament lamps within the scope of IEC 60432-1 and IEC 60432-2	
B.3	Halogen lamps within the scope of IEC 60432-3	
B.4	Tubular fluorescent and other discharge lamps	
B.5	LED modules within the scope of IEC 62031	
	(normative) Abnormal circuit conditions	
	(normative) Thermal testing	
D.1	Draught-proof enclosure	
D.1 D.2	Mounting surface and test recess	
D.2 D.3	Alternative test procedure for adjustment of measured temperatures for	100
D.3	luminaire t_a rating(s)	183
Annex E ((normative) Determination of winding temperature rises by the increase-in-	
		100
,	normative) Test for resistance to stress corrosion of copper and copper	186
F.1	Test cabinet	
F.2	Test solution	
F.3	Test piece	
F.4	Test procedure	
	(normative) Measurement of touch current and protective conductor current	
	(xxx) (Void)	
	xxx) (Void)	
•		
-	informative) Explanation of IP numbers for degrees of protection	
	(informative) Temperature measurement	
K.1	Temperature measurements of the luminaire	
K.2	Temperature measurement of the insulation parts of lampholders	197

Annex L	(informative) Guidelines for good practice in luminaire design	199
L.1	General	199
L.2	Plastics in luminaires	199
L.3	Rust resistance	200
L.4	Corrosion resistance	200
L.5	Chemically corrosive atmospheres	201
L.6	Reflector design	201
L.7	Components in different kinds of luminaires	202
L.8	Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps	202
L.9	Resistance against the effects of vibration	
L.10	Flammability of components	
Annex M	(normative) Determination of creepage distances and clearances	
	(informative) Explanation of marking for luminaires that are not suitable for	
	on normally flammable surfaces and covering with insulation materials	205
N.0	General	205
N.1	Protection against flame	205
N.2	Protection against heat	205
N.3	Thermal protectors	
N.4	Deletion of the F mark requirements	207
Annex O	(xxx) (Void)	208
	(normative) Absorption requirements for the protective shield to be fitted to s designed for metal halide lamps which emit a high level of UV radiation	209
P.1	General	209
P.2	Procedure A	
P.3	Procedure B	
Annex Q	(informative) Conformity testing during manufacture	
Q.1	General	
Q.2	Testing	
Annex R	(normative) Schedule of amended clauses and subclauses containing more	
	ritical requirements which call for products to be retested	213
	(normative) Requirements for the identification of a family or range of s for type testing	214
S.1	General	214
S.2	Range or family of luminaires	
	(xxx) (Void)	
Annex U	(informative) Additional requirements for luminaires where a higher degree of try (impulse withstand category III) may be requested	
U.1	General	
U.2	Requirements for impulse withstand category III	216
screwless	(normative) Additional test requirements for terminal blocks with integrated s protective earthing contact for direct connection to the luminaire housing or if the body	218
V.1	Additional requirements to 7.2.1	
V.1 V.2	Additional requirements to 7.2.3	
	(normative) Alternative thermal test for thermoplastic luminaires	
W.1	Thermal test in regard to fault conditions in lamp controlgear or electronic	
	devices without temperature sensing controls in thermoplastic luminaires for fluorescent lamps ≤ 70 W	220

Annex X (normative) Requirements for insulation between active parts of circuits and accessible conductive parts	222
Annex Y (informative) Information regarding power sourcing equipment powering class	224
Y.0 General	
Y.1 Insulation of the mains supply	
Y.2 Electrical limits of a PSE	224
Bibliography	226
Figure 34 – Circuit for checking electrical contact between socket outlet and plug	85
Figure 33 – Test to determine suitability of conductors having a reduced cross-	00
sectional area	
Figure 1 – Symbols	149
Figure 2 – Terminal block arrangement for installation test for luminaires with connecting leads (tails)	152
Figure 3 – Void	
Figure 4 – Illustration of the requirements of 4.15	
Figure 5 – Void	
Figure 6 – Apparatus for proving protection against dust	
Figure 7 – Apparatus for testing protection against rain and splashing	
Figure 8 – Nozzle for spray test	
Figure 9 – Relation between winding temperature and mounting surface temperature	
Figure 10 – Ball-pressure apparatus	
Figure 11 – Arrangement and dimensions of the electrodes for the tracking test	
Figure 12 – Pillar terminals	
Figure 13 – Screw terminals and stud terminals	159
Figure 14 – Saddle terminals	
Figure 15 – Lug terminals	162
Figure 16 – Mantle terminals	
Figure 17 – Construction of electrical connections	164
Figure 18 – Examples of spring-type screwless terminals	164
Figure 19 – Further examples of screwless terminals	
Figure 20 – Illustration of the terms "lopping-in" and "through wiring"	166
Figure 21 – Apparatus for ball impact tests	167
Figure 22 – Examples of self-tapping, thread-cutting and thread-forming screws (from ISO 1891)	167
Figure 23 – Void	167
Figure 24 – Illustration of creepage and clearance measurements at a supply terminal	168
Figure 25 – Void	168
Figure 26 – Test circuit for safety during insertion	168
Figure 27 – Ignition temperatures of wood as a function of time	169
Figure 28 – Example of permitted degree of soldering	
Figure 29 – Test chain	170
Figure 30 – Example of a thread forming screw used in a groove of a metallic material	171
Figure 31 – Electro-mechanical contact system with plug/socket connection	172

Figure 32 – Test circuit for luminaires incorporating fluorescent lamp ≤ 70 W	172
Figure C.1 – Circuit for testing rectifying effect (some capacitive starterless ballasts only)	178
Figure C.2 – Circuit for testing rectifying effect (ballasts for single pin lamps)	178
Figure C.3 – Circuit for testing rectifying effect of some high pressure sodium and some metal halide lamps	179
Figure D.1 – Example of test recess where a luminaire comprises separate parts, in accordance with Clause D.2 a)	181
Figure D.2 – Example of test recess where a luminaire comprises separate parts, in accordance with Clause D.2 b)	182
Figure D.3 – Correct test box size (insulating ceilings) for settable and adjustable luminaires	183
Figure G.1 – Test configuration: single-phase equipment on star TN or TT system	190
Figure G.2 – Measuring network, touch current weighted for perception or reaction	190
Figure G.3 – Measuring network, touch current weighted for let-go (for portable class I luminaires)	191
Figure G.4 – Measuring network, weighted for high frequency	191
Figure K.1 – Placing of thermocouples on a typical lampholder	198
Figure V.1 – Arrangement for voltage drop test	219
Figure X.1 – Declaration of $LV_{\mbox{supply}}$ and $U_{\mbox{out}}$ and the insulation barriers between the light source and accessible parts	222
Table 3.1 – Marking	39
Table 3.2 – Identification of extra-low-voltage DC leads and terminations	
Table 4.6 – Overview of required Y capacitors	55
Table 4.1 – Torque tests on screws	58
Table 4.2 – Torque tests on cable glands	
Table 4.3 – Impact energy and spring compression	61
Table 4.4 – Test on semi-luminaires	65
Table 4.5 – Test on adjusting devices	66
Table 5.1 – Supply cord	
Table 5.3 – Wiring dimension	81
Table 5.2 – Tests for cord anchorage	84
Table 9.1 – Solid-object-proof luminaire test	101
Table 10.1 – Minimum insulation resistance	
Table 10.2 – Electric strength	108
Table 10.3 – Limits of touch current or protective conductor current and electric burn	110
Table 11.1.A – Minimum creepage distances for AC sinusoidal voltages up to 30 kHz (to be used in conjunction with Annex M)	113
Table 11.1.B – Minimum clearance for working voltages (to be used in conjunction with Annex M)	114
Table 11.2 – Minimum distances for ignition pulse voltages $$ or equivalent peak voltage $U_{ m p}$	114
Table 12.1 – Maximum temperatures under the test conditions of 12.4.2, for principal parts	120
Table 12.2 – Maximum temperatures under the test conditions of 12.4.2, for common materials used in luminaires	122

Table 12.3 – Maximum temperatures under the test conditions of 12.5.1	125
Table 12.4 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp controlgear	126
Table 12.5 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp controlgear marked "D6"	126
Table 12.6 – Temperature overshoot time limitation	128
Table 14.1 – Nominal cross-sectional areas of conductors according to terminal sizes	136
Table 14.2 – Nominal cross-sectional areas of conductors according to maximum current	136
Table 14.3 – Composition of conductors	137
Table 14.4 – Torque to be applied to screws and nuts	139
Table 14.5 – Pull to be applied to conductor	140
Table 15.1 – Conductor rating	146
Table 15.2 – Conductor pull force	147
Table F.1 – pH value of the test solution	186
Table G.1 – Position of switch e, n and p for the measurements of the different classes of luminaires	189
Table J.1 – Degrees of protection indicated by the first characteristic numeral	194
Table J.2 – Degrees of protection indicated by the second characteristic numeral	195
Table L.1 – Damaging influences	199
Table M.1 – Determination of creepage distances and clearances (see Table 11.1)	204
Table N.1 – Guidance on when to use the symbol and its explanation on the luminaire or in the manufacturer's instructions provided with the luminaire	205
Table N.2 – Thermal protection operation	207
Table Q.1 – Minimum values for electrical tests	212
Table U.1 – Minimum clearance distances for AC sinusoidal working voltages impulse withstand category III	216
Table U.2 – Overview of required Y capacitors	217
Table X.1 – Insulation requirements between active parts and accessible conductive parts	223
Table Y.1 – Limits for the electrical parameters of a PSE	224
Table Y.2 – Electrical parameters for communication cable/connectors	225