


Edition 2.0 2011-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 1: General requirements

Fiches, socles de prise de courant, prises mobiles et socles de connecteur de véhicule – Charge conductive des véhicules électriques – Partie 1: Règles générales





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland



rved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by ectronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or r National Committee in the country of the requester.

ny questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, it the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

■ Service Clients: <u>www.iec.ch/webstore/custserv/custserv_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 2.0 2011-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 1: General requirements

Fiches, socles de prise de courant, prises mobiles et socles de connecteur de véhicule – Charge conductive des véhicules électriques – Partie 1: Règles générales

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 29.120.30; 43.120

ISBN 978-2-88912-724-5

CONTENTS

FΟ	REWORD	4
INT	FRODUCTION	6
1	Scope	7
2	Normative references	7
3	Terms and definitions	9
4	General	13
5	Ratings	14
6	Connection between the power supply and the electric vehicle	15
7	Classification of accessories	17
8	Marking	18
9	Dimensions	20
10	Protection against electric shock	20
11	Size and colour of earthing conductors	22
12	Provision for earthing	22
13	Terminals	24
14	Interlocks	29
15	Resistance to ageing of rubber and thermoplastic material	29
16	General construction	30
17	Construction of socket-outlets	33
18	Construction of plugs and vehicle connectors	35
19	Construction of vehicle inlets	36
20	Degrees of protection	37
21	Insulation resistance and dielectric strength	38
22	Breaking capacity	39
23	Normal operation	41
24	Temperature rise	42
25	Flexible cables and their connection	43
26	Mechanical strength	45
27	Screws, current-carrying parts and connections	49
28	Creepage distances, clearances and distances	51
29	Resistance to heat, to fire and to tracking	53
30	Corrosion and resistance to rusting	54
31	Conditional short-circuit current withstand test	55
32	Electromagnetic compatibility	57
33	Vehicle driveover	57
Anı	nex A (informative) EV charging modes and type of connection	72
Bib	liography	74
Fig	ure 1 – Diagram showing the use of the accessories	58
Fig	ure 2 – Standard test finger	59
Fig	ure 3 – Circuit diagrams for breaking capacity and normal operation tests	60

Figure 4 – Apparatus for testing the cable anchorage	61
Figure 5 – Ball Impact test	61
Figure 6 – Arrangement for mechanical strength test for plugs and vehicle connectors	62
Figure 7 – Apparatus for flexing test	62
Figure 8 – Gauges for testing insertability of round unprepared conductors having the maximum specified cross-section	
Figure 9 – Examples of terminals	65
Figure 10 – Equipment test arrangement	65
Figure 11 – Diagram of the test circuit for the verification of short-circuit current withstand of a two-pole equipment on a single-phase a.c. or d.c.	66
Figure 12 – Diagram of the test circuit for the verification of short-circuit current withstand of a three-pole equipment	67
Figure 13 – Diagram of the test circuit for the verification of short-circuit current withstand of a four-pole equipment	68
Figure 14 – Gauge "A" for checking shutters	69
Figure 15 – Gauge "B" for checking shutters	70
Figure 16 – Apparatus for checking the withdrawal force	71
Table 1 – Compatibility of mating devices at vehicle	16
Table 2 – Overview of the universal vehicle interface	16
Table 3 – Overview of the basic vehicle interface	
Table 4 – Overview of the d.c. vehicle interface	17
Table 5 – Short-time test currents	
Table 6 – Size for conductors	
Table 7 – Value for flexing under mechanical load test	
Table 8 – Value for terminal pull test	29
Table 9 – Cable length used to determine pull force on latch assembly	
Table 10 – Gauges to measure withdrawal force	34
Table 11 – Diameter of pins of the test plug	35
Table 12 – Maximum withdrawal force	
Table 13 – Test voltage for dielectric strength test	39
Table 14 – Breaking capacity	
Table 15 – Normal operation	42
Table 16 – Test current and nominal cross-sectional areas of copper conductors for temperature rise test	43
Table 17 – Pull force and torque test values for cable anchorages	45
Table 18 – Impact energy for ball impact test	46
Table 19 – Mechanical load flexing test	48
Table 20 – Torque test values for glands	48
Table 21 – Tightening torque for verification of mechanical strength of screw-type terminals	50

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62196-1 has been prepared by IEC subcommittee 23H: Industrial plugs and socket-outlets, of IEC technical committee 23: Electrical accessories.

This second edition cancels and replaces the first edition published in 2003 and constitutes a technical revision. The main changes from the previous edition are as follows:

- increase in d.c.voltage for accessories;
- permitted use of accessories with vehicles complying with Subclause 7.2.3.1 of 61851-1:2010;
- minor changes to definitions;
- additional voltage and current ratings (Clause 5) and test values (Clause 12, 13,);
- removal of markings to identify generic types of vehicle inlets and connectors;
- addition of a "high power d.c." to the type of accessories covered by the Standard;

This is a preview. Click here to purchase the full publication.

- modification of the description of "universal" and "basic" interfaces based on changes to 61851-1:2010;
- simplification of the marking requirements (Clause 8);
- additional requirements for accessories with shutters;
- division of Clause 9 to create Clauses 9 and 11;
- Clause 9: specific requirements for inlet, plug and socket–outlet;
- Clause 11: EVSE (Electric Vehicle Supply Equipment) requirements: the basic generic requirements for charging stations;
- renumbering of annexes.

The text of this standard is based on the following documents:

FDIS	Report on voting
23H/266/FDIS	23H/269/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62196 series, under the general title *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles*, can be found on the IEC website.

In this standard, the following print types are used:

- compliance statements: in italic type.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn,
- · replaced by a revised edition, or
- amended.

INTRODUCTION

IEC 61851-1:2010 specifies Electric Vehicle Conductive Charging Equipment. This International Standard, referred to as IEC 62196 series in IEC 61851-1:2010, specifies the requirements for plugs, socket-outlets, vehicle connectors, vehicle inlets and cable assemblies as described in IEC 61851-1:2010. Some charging can be achieved by direct connection from an electric vehicle to common mains socket-outlets. Some modes of charging require a dedicated supply and charging equipment incorporating control and communication circuits. This standard covers the mechanical, electrical and performance requirements for dedicated plugs, socket outlets, vehicle connectors and vehicle inlets for interfacing between such dedicated charging equipment and the electric vehicle.

This standard may be divided into several parts as necessary, as follows:

- Part 1: General requirements, comprising clauses of a general character.

Subsequent parts: Particular requirements dealing with particular types of accessories. The clauses of these particular requirements supplement or modify the corresponding clauses in Part 1. Where the text of subsequent parts indicates an "addition" to or a "replacement" of the relevant requirement, test specification or explanation of Part 1, these changes are made to the relevant text of Part 1, which then becomes part of the standard. Where no change is necessary, the words "This clause of Part 1 is applicable" are used.

- Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories.
- Part 3: Dimensional compatibility and interchangeability requirements for pin and contacttube accessories for dedicated d.c. charging or for combined a.c./d.c. charging (under consideration)

PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

Part 1: General requirements

1 Scope

This part of IEC 62196 is applicable to plugs, socket-outlets, connectors, inlets and cable assemblies for electric vehicles (EV), herein referred to as "accessories", intended for use in conductive charging systems which incorporate control means, with a rated operating voltage not exceeding

- 690 V a.c. 50 Hz 60 Hz, at a rated current not exceeding 250 A,
- 1 500 V d.c. at a rated current not exceeding 400 A.

These accessories and cable assemblies are intended to be used for circuits specified in IEC 61851-1:2010 which operate at different voltages and frequencies and which may include ELV and communication signals.

The accessories covered by this standard are intended only to be used with vehicles that comply with the requirements of 7.2.3.1 of IEC 61851-1:2010.

These accessories and cable assemblies are to be used in an ambient temperature of between $-30~^{\circ}\text{C}$ and $+50~^{\circ}\text{C}$.

NOTE In some countries, other requirements may apply.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

The accessories covered by this standard are for use in certain modes of charging EVs. These modes are defined in IEC 61851-1:2010. These definitions and a description of the types of connection (cases A, B and C), also described in IEC 61851-1:2010, are reproduced herein as Annex A.

NOTE In the following country, Mode 1 will not be allowed: UK.

This standard does not apply to those standardised accessories used in charging systems where the use of such accessories constructed to the requirements of other standards is permitted (e.g. in mode 1 and mode 2). Such standardized accessories may be used for those situations (mode and case) identified in IEC 61851-1:2010.

This standard can be used as a guide for accessories with a lesser number of contacts and lower ratings for use with light duty vehicles.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60112:2003, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

Amendment1 (2009)¹

IEC 60227 (all parts), Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V

IEC 60228:2004, Conductors of insulated cables

IEC 60245-4:1994, Rubber insulated cables of rated voltages up to and including 450/750 V – Part 4: Cords and flexible cables
Amendment 1 (1997)
Amendment 2 (2003)²

IEC 60269-1:2006, Low-voltage fuses – Part 1: General requirements Amendment 1 (2009)³

IEC 60269-2:2010, Low-voltage fuses – Part 2: Supplementary requirements for fuses for use by authorised persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to J

IEC 60309-4, Plugs, socket-outlets and couplers for industrial purposes – Part 4: Switched socket-outlets and connectors with or without interlock

IEC 60529:1989, Degrees of protection provided by enclosures (IP code) Amendment 1 (1999)⁴

IEC 60664-1:2007, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

IEC 60664-3:2003, Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution

IEC 60695-2-11:2004, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products

IEC 60695-10-2, Fire hazard testing - Part 10-2: Abnormal heat - Ball pressure test

IEC 60947-1, Low-voltage switchgear and controlgear – Part 1: General rules

IEC 60999 -1:1999, Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for conductors from 0,2 mm² up to 35 mm² (included)

IEC 60999 -2:2003, Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 2: Particular requirements for clamping units for conductors above 35 mm² up to 300 mm² (included)

There exists a consolidated edition (2009) that includes IEC 60112 (1993) and its Amendment 1 (2009).

There exists a consolidated edition (2004) that includes IEC 60245-4 (1994) and its Amendments 1 (1997) and 2 (2003).

There exists a consolidated edition (2009) that includes IEC 60269-1 (2006) and its Amendment 1 (2009).

There exists a consolidated edition (2001) that includes IEC 60529 (1989) and its Amendment 1 (1999).