

Edition 1.0 2008-07

TECHNICAL REPORT


RAPPORT TECHNIQUE

High-voltage switchgear and controlgear –

Part 303: Use and handling of sulphur hexafluoride (SF₆)

Appareillage à haute tension -

Partie 303: Utilisation et manipulation de l'hexafluorure de soufre (SF₆)





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Email: inmail@iec.ch Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



IEC/TR 62271-303

Edition 1.0 2008-07

TECHNICAL REPORT

RAPPORT TECHNIQUE

High-voltage switchgear and controlgear – Part 303: Use and handling of sulphur hexafluoride (SF₆)

Appareillage à haute tension -

Partie 303: Utilisation et manipulation de l'hexafluorure de soufre (SF₆)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 29.130.10 ISBN 2-8318-9915-X

CONTENTS

INT						
1	•					
2	Norm	ative re	ferences	8		
3	Terms and definitions					
4	Storage and transportation of SF ₆					
	4.1	Storag	e of containers filled with SF ₆	11		
	4.2	.2 Transportation of containers filled with SF ₆				
	4.3 Storage and transportation of electric power equipment containing SF ₆					
	4.4	Respo	nsibilities	14		
5	Safety and first aid					
	5.1	Genera	al safety rules	14		
		5.1.1	Protection of personnel	15		
		5.1.2	Handling of contaminated safety equipment and tools	16		
		5.1.3	Pressurised equipment and tools or measuring devices	17		
		5.1.4	Personal safety and protective equipment			
		5.1.5	Facilities and services	18		
	5.2	Additional safety measures in case of abnormal release of SF ₆ due to external fire or internal arc fault18				
	5.3		id equipment and treatment			
		5.3.1	Irritation of the skin			
		5.3.2	Irritation of the eyes	19		
		5.3.3	Breathing difficulty	20		
6	Training and certification					
	6.1	.1 General				
	6.2	Trainin	g modules	20		
		6.2.1	Module A – Awareness	21		
		6.2.2	Module B1 – Maintenance not implying gas recovery	21		
		6.2.3	Module B2 – Installation and commissioning	22		
		6.2.4	Module C1 – Maintenance implying gas recovery	22		
		6.2.5	Module C2 – Decommissioning of electric power equipment at the end-of-life	23		
	6.3	Certific	cation			
7	SF ₆ h	nandling	during installation and commissioning	23		
	7.1 Evacuation, filling and checking the SF ₆ quality after filling					
	7.2 Topping-up of SF ₆ pre-filled compartments to the rated pressure/density					
	7.3 Filling sealed pressure systems					
8	SF ₆ h	nandling	during normal service life	27		
	8.1 Re-filling of SF ₆ to the nominal pressure/density					
	8.2		ing the SF ₆ quality			
		8.2.1	Measurement of the SF ₆ quality with portable equipment			
		8.2.2	Sampling and shipment of SF ₆ for off-site analysis			
9	SF ₆ recovering and reclaiming during maintenance					
	9.1	Recov	ery and reclaiming of SF ₆ from any compartment of controlled and/or pressure systems containing non-arced and/or normally arced SF ₆	30		

	9.2	pressure systems containing heavily arced SF ₆	32
10	Dism	antling of SF ₆ electric power equipment at the end-of-life	
10		End-of-life of controlled and/or closed pressure systems	
		End-of-life of sealed pressure systems	
		Recovery and reclaiming of SF ₆ at the end-of-life of sealed pressure systems	
		Dismantling of electric power equipment at the end-of-life	
		By-products at the end-of-life	
11		ription of SF ₆ handling equipment	
	11.1	Reclaimer	40
		11.1.1 External and internal pre-filters	41
		11.1.2 Filters	41
		11.1.3 Vacuum pump	42
		11.1.4 Main and auxiliary compressors	
		11.1.5 External and internal gas storage containers	
		11.1.6 Evaporator and gas storage container heater	
		11.1.7 Gas piping and pipe junctions	
		11.1.8 Control instruments	
	11 2	11.1.9 Safety valves	
		Portable devices for gas measurement	
	11.5	11.3.1 Dew point meter	
		11.3.2 SF ₆ percentage measuring device	
		11.3.3 Reaction tubes sensitive to SO ₂	
		11.3.4 Portable SF ₆ detectors	
		11.3.5 Alarm system SF ₆ detectors	46
		Cylinder for gas samples	
Anr	nex A	(informative) Sulphur hexafluoride	47
		(informative) Environmental effects of SF ₆	
Anr	nex C	(informative) SF ₆ by-products	54
Anr	nex D	(informative) Potential effects on health of SF ₆ by-products	57
		phy	
Fig	ure 1	- Commissioning or re-commissioning of SF ₆ compartments	24
		- Topping-up of SF ₆ pre-filled compartments to the rated pressure/density	
		- SF ₆ re-filling to the nominal pressure/density	
		- Checking the SF ₆ quality on-site	
		- SF ₆ sampling and shipment	
		- Recovering and reclaiming from any compartment of controlled and/or	00
		essure systems containing non-arced and/or normally arced SF ₆	31
		- Recovering and reclaiming from any compartment of controlled and/or	
		essure systems containing heavily arced SF ₆	33
Fig	ure 8	- End-of-life of controlled and/or closed pressure systems	35
Fig	ure 9	- End-of-life of sealed pressure systems	36
Fig	ure 10	- SF ₆ recovery and reclaiming at the end-of-life of sealed pressure systems	37
		Dismantling of electric power equipment	
		- General purpose reclaimer	

Figure A.1 – Pressure/temperature/density characteristics for SF ₆ [9]	48
Table 1 – Methods for storage of SF ₆	12
Table 2 – Container types and labelling required for storage and transportation of SF_6	13
Table 3 – International regulations for shipment of SF ₆	14
Table 4 – Measures when working with SF ₆ electric power equipment	15
Table 5 – Safety measures when opening and/or accessing gas compartments	16
Table 6 – Neutralising solutions	17
Table 7 – Additional safety measures	19
Table 8 – Commissioning or re-commissioning of SF ₆ compartments	25
Table 9 – Topping-up of SF ₆ pre-filled compartments to the rated pressure/density	27
Table 10 – SF ₆ re-filling to the nominal pressure/density	28
Table 11 – Checking the SF ₆ quality on-site	29
Table 12 – SF ₆ sampling and shipment	30
Table 13 – Recovering and reclaiming from any compartment of controlled and/or closed pressure systems containing non-arced and/or normally arced SF ₆	32
Table 14 – Recovering and reclaiming from any compartment of controlled and/or closed pressure systems containing heavily arced SF ₆	34
Table 15 – SF ₆ recovery at the end-of-life of sealed pressure systems	38
Table 16 – Expected SF ₆ characteristics and quantity of by-products	40
Table 17 – Typical filter types used during SF ₆ reclaiming	42
Table 18 – Gas measuring devices	44
Table A.1 – Main chemical characteristics of SF ₆ [9]	47
Table A.2 – Main physical characteristics of SF ₆ [9]	
Table A.3 – Main electrical characteristics of SF ₆ [9]	49
Table D.1 – TLVs for SOF_2 , SO_2 , HF, and S_2F_{10}	60
Table D.2 – Results of example calculations for leakage situations	63
Table D.3 – Results for leakage situations taking account of SOF ₂ hydrolysis	64
Table D.4 – Sample calculation of S_2F_{10} concentration for partial discharges	65
Table D.5 – Sample calculation of $\mathrm{S}_2\mathrm{F}_{10}$ concentration for corona discharges	66
Table D.6 – Sample calculation of $\mathrm{S}_2\mathrm{F}_{10}$ concentration for disconnector sparking	67
Table D.7 – Sample calculation of SOF ₂ concentrations for internal fault situations	68
Table D.8 – Switchgear volume and filling pressure	71
Table D.9 – Arc energies for interruptions	72
Table D.10 – Arc energies for internal faults	72
Table D.11 – SOF ₂ production rates	73
Table D.12 – Quantities of SOF ₂ formed	73
Table D.13 – SF ₆ leakage rates	73
Table D.14 – SOF ₂ leakage rates	74

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 303: Use and handling of sulphur hexafluoride (SF₆)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability should attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC should not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 62271-303, which is a technical report, has been prepared by subcommittee 17A: High-voltage switchgear and controlgear, of IEC technical committee 17: Switchgear and controlgear.

This first edition of IEC/TR 62271-303 cancels and replaces the first edition of IEC 61634 published in1995. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

IEC 62271-303 is a major revision of the old IEC 61634. The former sections of IEC 61634 are removed and replaced by the chapters of the CIGRE brochure n. 276.

IEC 61634 was issued in 1995 when the focus was on safety. In 2008, safety is a very well known and established concept and the focus is nowadays on the environmental compatibility. SF_6 must be kept in a closed cycle and any intentional release must be forbidden. The implementation of the SF_6 reuse concept suggested in the CIGRE brochure was updated with the most recent information. Today SF_6 can be recovered and reclaimed for either being reused on-site or given back to the gas supplier and reused as raw material for the production of "technical grade SF_6 ". Detailed procedures for appropriate SF_6 handling are given together with the description of the state-of-the-art equipments and measuring devices.

More in detail, clause by clause:

- The former Section 1 was removed and replaced with Clause 1 "Scope", Clause 2 "Normative references" and Clause 3 "Terms and Definitions".
- Clause 4 "Storage and transportation of SF₆", Clause 5 "Safety and first aid", Clause 6 "Training and certification", and Clause 11 "Description of SF₆ handling equipment" were taken from the CIGRE brochure and their content was revised.
- Clause 7 " SF₆ handling during installation and commissioning", Clause 8 " SF₆ handling during normal service life", Clause 9 " SF₆ recovery and reclaiming during maintenance", and Clause 10 "Dismantling of SF₆ electric power equipment at the end-of-life" were taken from the CIGRE brochure, their content was revised and replaces the former sections 2, 3, 4, 5, and 6.
- The former Annexes A, B, C, and D were revised while the Annexes E and F were dropped. The Bibliography replaces the former Annex G.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
17A/813/DTR	17A/817/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 62271 series, under the general title *High-voltage switchgear and controlgear* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

INTRODUCTION

 SF_6 technology is used in switchgear and controlgear, for more than 30 years. Its application is mainly in electric power equipment for rated voltages exceeding 1 kV up to the highest rated voltages for which switchgear and controlgear are manufactured. It is estimated that several millions of the different types of SF_6 -filled units are currently in service.

Three methods for gas containment are technically available, according to IEC 62271-1:

· controlled pressure system;

NOTE 1 Controlled pressure systems are no longer used for new equipment, because of the unacceptable leakage rate (see IEC 62271-203).

- closed pressure system: modern high-voltage electric power equipments. The standardized values for leakage rates are 0,5 % and 1 % per year and per gas-filled compartment;
- sealed pressure system: modern medium-voltage electric power equipments (commercially designated as "sealed for life products" or "hermetically sealed systems"). The tightness of sealed pressure systems is specified by their expected operating life. The expected operating life with regard to leakage performance is specified by the manufacturer. Preferred values are 20, 30 and 40 years.

NOTE 2 To fulfil the expected operating life requirement the leakage rate of the SF_6 sealed pressure systems is considered to be less than 0,1 % per year.

The long experience with the use of SF₆ in switchgear and controlgear evidences that a certain number of elementary precautions and procedures should be adopted in order to achieve operational, safety at work and environmental benefits such as:

- safe operation of the equipment;
- optimisation of resources and tools required;
- minimisation of out-of-service time for equipment;
- standard training of personnel handling SF₆;
- reduction of the amount of gas released during handling operations down to the functional physical limit;
- avoidance of any deliberate release, for example flushing to the atmosphere;
- reduction of SF₆ losses and emissions during commissioning, service, operation and end-of-life treatment to a minimum.

Recently, the latest practical recommendations on the use of SF_6 technology applied to switchgear and controlgear have been published by WG B3.02 of CIGRE Study Committee B3 [1]¹. This information is used to revise IEC 61634 into the present technical report.

This is a preview. Click here to purchase the full publication.

¹ Figures in square brackets refer to the Bibliography.

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 303: Use and handling of sulphur hexafluoride (SF₆)

1 Scope

The scope of this technical report is to address the procedures for safe and environmental compatible handling of SF_6 during installation, commissioning, normal and abnormal operations, disposal at the end-of-life of high-voltage switchgear and controlgear. Storage and transportation of SF_6 are also covered.

These procedures should be regarded as minimum requirements to ensure the safety of personnel working with SF_6 and to minimize the SF_6 emission to the environment.

This technical report generally applies also to gas mixtures containing SF₆.

NOTE 1 For the use of this technical report, the term "high voltage" (reference IEV 601-01-27) is the rated voltage above 1 000 V. However, the term "medium voltage" (reference IEV 601-01-28) is commonly used for distribution systems with voltages above 1 kV and generally applied up to and including 52 kV.

NOTE 2 Throughout this technical report, the term "electric power equipment" stands for "high-voltage and medium voltage switchgear and/or controlgear".

2 Normative references

The following referenced documents are indispensable for the application of this technical report. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-441, International Electrotechnical Vocabulary (IEV) – Part 441: Switchgear, controlgear and fuses

IEC 60376, Specification of technical grade sulphur hexafluoride (SF $_{6}$) for use in electrical equipment

IEC 60480, Guidelines for the checking and treatment of sulphur hexafluoride (SF_6) taken from electrical equipment and specifications for its reuse

IEC 62271-1, High-voltage switchgear and controlgear – Part 1: Common specifications

IEC 62271-100, High-voltage switchgear and controlgear – Part 100: Alternating-current circuit-breakers

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE There are many different types of electric power equipment which use SF_6 as a dielectric and/or arc-quenching medium.

3.1

abnormal release of sulphur hexafluoride (SF₆)

release from equipment in service due to a failure in the pressure system

This is a preview. Click here to purchase the full publication.