

---

---

**Road vehicles — Fuse-links —**

Part 3:

**Fuse-links with tabs (blade type) Type C (medium), Type E (high current) and Type F (miniature)**

*Véhicules routiers — Liaisons fusibles —*

*Partie 3: Liaisons fusibles cavalier (Type à lame), Type C (moyen), Type E (courant élevé) et Type F (miniature)*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Marking, labelling, and colour coding</b> .....	<b>1</b>
<b>5 Tests and requirements</b> .....	<b>2</b>
5.1 General.....	2
5.1.1 Test criteria.....	2
5.1.2 Test sequence.....	3
5.2 Voltage drop.....	3
5.2.1 Tests.....	3
5.2.2 Requirements.....	4
5.3 Transient current cycling.....	5
5.3.1 Test.....	5
5.3.2 Requirements.....	6
5.4 Environmental conditions.....	6
5.5 Operating time-rating.....	6
5.5.1 Test.....	6
5.5.2 Requirement.....	6
5.6 Current steps.....	7
5.6.1 Test.....	7
5.6.2 Requirement.....	7
5.7 Breaking capacity.....	7
5.7.1 Test.....	7
5.7.2 Requirement.....	9
5.8 Strength of terminals.....	9
5.8.1 Test.....	10
5.8.2 Requirements.....	10
5.9 Test cable sizes.....	10
5.10 Temperature rise.....	11
<b>6 Dimensions</b> .....	<b>12</b>
6.1 Fuse-links Types C, E, and F.....	12
6.2 Designation example.....	15
<b>Annex A (informative) Temperature rise test</b> .....	<b>16</b>
<b>Bibliography</b> .....	<b>17</b>