



SURFACE VEHICLE STANDARD	J1128™	DEC2020
	Issued	1975-11
	Revised	2020-12
Superseding J1128 DEC2015		
Low Voltage Primary Cable		

RATIONALE

The standard has been updated with the following changes:

Updated 2.1.1 and 2.2.3.

Updated 3.14.

Expanded 4.1.

Updated 4.2.

Updated Section 5 with Note 6 added to crosslinking test.

Updated references to appendix.

Relocated 5.5 and revised Table 5 to limit size to SAE Number 8.

Revised 6.2 language to read easier.

Expanded 6.3 to include new cable types and temperature classes.

Added 6.4 test method and requirements.

Revised 6.5, 6.6, 6.10, 6.11, and 6.12 language to read easier.

Revised Tables 8, 9, and 10 to include all cable types.

Updated references to figures and relocated after method.

Added reference and corrected equation.

Removed Appendix C.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2020 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: +1 734 776 4970 (outside USA)

For more information on this standard, visit

https://www.sae.org/content/J1128_202012

This is a preview. Click here to purchase the full publication.

SAE WEB ADDRESS:

TABLE OF CONTENTS

1.	SCOPE.....	4
2.	REFERENCES.....	4
2.1	Applicable Documents	4
2.1.1	SAE Publications.....	4
2.1.2	ASTM Publications.....	4
2.1.3	IEC Publications.....	5
2.2	Related Publications	5
2.2.1	SAE Publications.....	5
2.2.2	ASTM Publications.....	5
2.2.3	ISO Publications.....	5
3.	DEFINITIONS	6
4.	GENERAL	8
4.1	Cable Types	8
4.2	General Test Conditions	9
4.3	Ovens.....	9
4.4	Tolerances	9
4.5	Representative Conductor Sizes for Testing	9
5.	GENERAL SPECIFICATIONS.....	10
5.1	Conductors.....	10
5.2	Insulation.....	11
5.3	Outside Cable Diameter	11
5.4	Wall Thickness	11
5.5	Winding	12
6.	TESTS.....	12
6.1	Strand Coating	12
6.2	Solderability.....	12
6.3	Mechanical Properties.....	13
6.4	Long Term Heat Aging Test (1500 Hours at the Temperature Class Rating)	13
6.5	Dielectric	14
6.6	Insulation Faults	14
6.7	Cold Bend	14
6.8	Resistance to Flame Propagation.....	14
6.9	Fluid Compatibility.....	15
6.10	Resistance to Ozone.....	16
6.11	Resistance to Pinch	16
6.12	Resistance to Sandpaper Abrasion	17
6.13	Crosslinking.....	19
6.14	Strip Force.....	19
6.15	Resistance to Hot Water	19
6.16	Insulation Volume Resistivity	20
6.17	Temperature and Humidity Cycling.....	21
7.	REFERENCE INFORMATION.....	21
7.1	Color Code	21
7.1.1	Recommended Colors	21
7.1.2	Stripes	22
8.	NOTES.....	22
8.1	Revision Indicator.....	22

APPENDIX A	FOR INFORMATION ONLY CONDUCTOR AREA METRIC UNITS	23
APPENDIX B	RECOMMENDED COLORS	24
Figure 1	Voltage test set-up	14
Figure 2	Apparatus for flame resistance test	15
Figure 3	Apparatus for resistance to pinch test.....	17
Figure 4	Apparatus for resistance to sandpaper abrasion test	18
Figure 5	Apparatus for resistance to hot water test	20
Figure 6	Procedure for temperature and humidity cycling test	21
Table 1A	Cable types	8
Table 1B	Cable types	8
Table 2	General specifications.....	10
Table 3	Conductors.....	11
Table 4	Outside cable diameter and wall thickness.....	12
Table 5	Winding test conditions	12
Table 6	Mechanical properties and temperature and humidity cycling, test conditions.....	13
Table 7	Fluid compatibility.....	16
Table 8	Minimum resistance to pinch	17
Table 9	Resistance to sandpaper abrasion, additional mass	18
Table 10	Resistance to sandpaper abrasion	19