



UL 845

STANDARD FOR SAFETY

Motor Control Centers

UL Standard for Safety for Motor Control Centers, UL 845

Sixth Edition, Dated June 28, 2021

SUMMARY OF TOPICS

This new Sixth Edition of ANSI/UL 845 dated June 28, 2021 includes revised requirements for Temperature Terminations.

The requirements are substantially in accordance with Proposal(s) on this subject dated August 28, 2020 and January 29, 2021.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page



Association of Standardization and Certification
NMX-J-353-ANCE-2021
Third Edition



CSA Group
CSA C22.2 No. 254:21
Second Edition



Underwriters Laboratories Inc.
UL 845
Sixth Edition

Motor Control Centers

June 28, 2021



ANSI/UL 845-2021



This is a preview. [Click here to purchase the full publication.](#)

Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as "CSA Group"), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

Copyright © 2021 ANCE

Rights reserved in favor of ANCE

ISBN 978-1-4883-3254-8 © 2021 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2021 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Sixth Edition. The most recent designation of ANSI/UL 845 as an American National Standard (ANSI) occurred on June 28, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

The Department of Defense (DoD) has adopted UL 845 on April 20, 1993. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

CONTENTS

Preface	7
1 Scope	9
1.1 Products covered	9
1.2 Products not covered	9
1.3 Equipment	9
1.4 Units of measurement	10
2 Normative references	10
3 Definitions	10
4 Application information and components	11
4.2 Components	11
5 Characteristics	12
5.1 General	12
5.2 Voltage ratings	12
5.3 Current	12
5.4 Short-circuit	13
6 Markings and product information	13
6.1 Identification	13
6.2 Product information	14
6.3 Marking	14
6.4 Installation instructions	23
7 Normal service and transport conditions	23
7.1 General	23
7.2 Normal service conditions	23
8 Construction and performance requirements	24
8.1 General assembly	24
8.2 Construction requirements	26
8.3 Performance requirements	51
9 Motor control center tests	55
9.1 General	55
9.2 Calibration tests	55
9.3 Temperature-rise tests	55
9.4 Overvoltage and undervoltage test	57
9.5 Dielectric voltage-withstand tests (after temperature-rise test or overvoltage/undervoltage test)	58
9.6 Current-withstand test	59
9.7 Dielectric voltage-withstand tests (after current-withstand test)	59
9.8 Contactor overload test	59
9.9 Dielectric voltage-withstand test (after contactor overload test)	61
9.10 Short-circuit tests – bus structure	61
9.11 Dielectric voltage-withstand test (after short-circuit test – bus structure)	65
9.12 Short-circuit (standard-level) tests for motor control center units	65
9.13 Dielectric voltage-withstand test (after standard-level unit short-circuit test)	69
9.14 Trip-out test for circuit-breakers (after standard-level unit short-circuit test)	69
9.15 Short-circuit (high-level) test for motor control center units	70
9.16 Dielectric voltage-withstand test (after high-level short-circuit test – motor control center units)	73
9.17 Trip-out test for circuit-breakers (after high-level unit short-circuit test)	73
9.18 Strength of insulating base and support tests	74
9.19 Comparative deflection test	74
9.20 Autotransformer starter test	74
9.21 Insulating barrier dielectric	75
9.22 Factory tests	75

10 Application	75
TABLES	75
FIGURES	105

Annex A (Normative)

A1 General	116
A2 Alternating-current circuits	116
A2.1 General	116
A2.2 Available current of 10 000 A or less	116
A2.3 Available current more than 10 000 A	117
A2.4 Recovery voltage	118
A3 Direct-current circuits	119
A4 Instrumentation for test currents above 10 000 A	121
A5 Calibration characteristics for a protective device	122
A6 Peak let-through current, I_p	122
A7 Application	124

Annex B (Informative)

Annex C (Normative)

Annex D (Informative)

Annex E (Normative) – For Canada Only

Annex F (Informative)

Annex G (Normative)

Annex H (Informative) Application information

H1 General	135
H2 Definitions	135
H3 Classifications	135
H3.1 Classes and types	135
H3.2 Classes of motor control centers	136
H3.3 Circuit wiring	137
H4 Characteristics	137
H4.1 Motor-controller size ratings	137
H4.2 Basis for short-circuit current rating of motor control centers	138
H4.3 Instructions for installation, operation, and maintenance	139
H5 Service and storage conditions	139
H5.1 Usual service and installation conditions	139
H5.2 Storage temperature	140
H6 Construction	140
H6.1 Construction information	140
H6.2 Ground fault tests (production tests)	141

H7	Application input	141
H7.1	Technical information needed to supply a motor control center (application input).....	141
H7.2	Application of short-circuit current ratings	142

No Text on This Page