



UL 60730-1

STANDARD FOR SAFETY

Automatic Electrical Controls – Part 1: General Requirements

UL Standard for Safety for Automatic Electrical Controls – Part 1: General Requirements, UL 60730-1
Fifth Edition, Dated August 3, 2016

Summary of Topics

This revision of ANSI/UL 60730-1 dated October 18, 2021 includes the following changes in requirements:

- ***Addition of the second amendment to IEC 60730-1; [1.2](#), [2.1.4](#), [2.1.5](#), [2.3.33](#), [2.4.5DV](#), [2.13.4](#), [2.13.12](#), [Table 1](#), [8.1.1](#), [8.1.1.1](#), [11.1.4](#), [11.4.11](#), [11.4.12](#), [Table 12](#), [14.5.1](#), [Table 15](#), [Table 16](#), [Section 20](#), [24.1](#), [24.5](#), [H.7](#), [H.11.2.5](#), [H.11.12.4.1.3.2](#), [Table H.11](#), [H.11.12.4.3.6](#), [H.26](#), [H.26.8.3](#), [H.26.9.2](#), [H.27.1.1.2](#), [H.27.1.1.7](#), [H.27.1.1.8](#), [J.4.3.5.4.1](#), [Annex Q](#), [T.3.1](#), [T.3.2](#), [Bibliography](#)***
- ***Deletion of SMPS test method; [24.2.1DV.2](#) – [24.2.1DV.3.11](#)***
- ***Revise [Table H.14](#) for the voltage dips and interruptions test to include 60 Hz frequency; [Table H.14](#)***
- ***Revisions to add clarity, reflect current practices and/or corrections; [Table 1DV](#), [1.2DV](#), [6.4.3.101DV](#), [9.3.4DV](#), [11.4.101DV](#), [11.10.3DV.1](#), [12.1.1DV](#), [Table 12.1DV.1](#), [Table 15DV](#), [21.1DV.1](#), [24.1DV](#), [27.5.101DV](#), [H.23.1DV](#), [H.27.1.1.2DV](#), [Annex P](#), [DVB.1.3](#), [DVE.1](#), [DVE.2](#), [DVE.3](#)***
- ***Revisions to the DV's covering the grounding and bonding requirements; [2.7.15.1DV](#), [2.7.15.2DV](#), and [9.3.4DV.1](#) – [9.3.4DV.7](#)***

UL 60730-1 adopts IEC 60730-1, Edition 5.2, issued by the IEC December, 2020. Please note that the national difference document incorporates all of the U.S. national differences for UL 60730-1.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated April 16, 2021 and August 13, 2021.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

AUGUST 3, 2016

(Title Page Reprinted: October 18, 2021)



ANSI/UL 60730-1-2021

1

UL 60730-1

Automatic Electrical Controls – Part 1: General Requirements

First Edition – Not Printed
Second Edition – Not Printed
Third Edition – January, 2002
Fourth Edition – October, 2009

Fifth Edition

August 3, 2016

This ANSI/UL Standard for Safety consists of the Fifth Edition including revisions through October 18, 2021.

The most recent designation of ANSI/UL 60730-1 as an American National Standard (ANSI) occurred on October 18, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2021 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

Preface (UL)	13
NATIONAL DIFFERENCES	15
FOREWORD	17
1 Scope and normative references	21
1.1 Scope	21
1.1.7DV.1 Modification of 1.1.7 by adding the following text:	22
1.1.101DV Addition to the Scope by adding the following text:	22
1.2 Normative references.....	22
1.2DV Addition of the following to 1.2 :	26
2 Terms and definitions.....	27
2.1 Definitions relating to ratings, voltages, currents, frequencies, and wattages	27
2.1.5DV Modification of Note 2 to entry of 2.1.5 by adding the following:	28
2.1.6DV Addition of the following note to 2.1.6:	29
2.2 Definitions of types of control according to purpose	31
2.3 Definitions relating to the function of controls	33
2.4 Definitions relating to disconnection and interruption	36
2.4.5DV Modification of 2.4.5 by adding the following text after the word "MICRO- DISCONNECTION":	37
2.5 Definitions of types of control according to construction	37
2.5.3DV Modification of Note 1 to entry:	38
2.6 Definitions of type of automatic action of a control according to test procedure	38
2.7 Definitions relating to protection against electric shock	39
2.7.3DV Modification of 2.7.3 by adding the following text after the notes:	39
2.7.8DV Modification of 2.7.8 :	41
2.7.10DV Relocation of Note 2 to entry:	41
2.7.15DV Modification: Replace the second from last sentence of 2.7.15 with the following:	42
2.7.15.1DV Addition:.....	43
2.7.15.2DV Addition:	43
2.8 Definitions relating to component parts of controls.....	43
2.9 Definitions of types of terminals and terminations of controls.....	44
2.10 Definitions relating to the connections to controls	46
2.11 Definitions relating to the performance of type 2 actions	48
2.12 Definitions relating to the requirements for creepage distances and clearances	48
2.13 Miscellaneous definitions	49
2.13.11DV Addition of Note 1 to entry:.....	51
2.14 Definitions relating to manufacturer and user	51
2.15 Definitions pertaining to thermistors	51
2.16 Definitions relating to the structure of controls using software	52
2.17 Definitions relating to error avoidance in controls using software	52
2.18 Definitions relating to fault/error control techniques for controls using software	52
2.19 Definitions relating to memory tests for controls using software	52
2.20 Definitions of software terminology – General	52
2.21 Void	52
2.22 Definitions relating to classes of control functions.....	52
2.23 Definitions relating to functional safety.....	52
2.24 Definitions related to access to data exchange.....	52
3 General requirement	52
3DV Modification of Clause 3 by adding the following after "the appropriate part 2":	52
4 General notes on tests.....	52
4.1 Conditions of test.....	53

4.2	Samples required	53
4.3	Instructions for test	54
5	Rating	56
5.1	Maximum rated voltage	56
5.2	Void	56
5.3	Compliance	56
6	Classification	56
6.1	According to nature of supply	56
6.2	According to type of load to be controlled by each circuit of the control	57
6.2.3DV	Modification of 6.2.3 by adding the following text to the end of the note:	57
6.2.5DV	Modification of 6.2.5 by adding the following text:	57
6.2.6DV	Modification of 6.2.6 by adding the following text:	57
6.3	According to their purpose	58
6.4	According to features of automatic action	58
6.4.3.101DV	Modification to add 6.4.3.101DV to Clause 6.4.3 as follows:	59
6.5	According to the degree of protection and control pollution degree	60
6.5DV	Modification of 6.5 by adding the following text:	60
6.6	According to method of connection	60
6.7	According to ambient temperature limits of the switch head	61
6.8	According to protection against electric shock	61
6.9	According to circuit disconnection or interruption:	62
6.10	According to number of cycles of actuation (M) of each manual action	62
6.11	According to number of automatic cycles (A) of each automatic action	63
6.12	According to temperature limits of the mounting surface of the control	63
6.13	According to value of proof tracking index (PTI) for the insulation material used	64
6.13DV	Replace 6.13 with the following:	64
6.14	According to period of electrical stress across insulating parts supporting live parts and between live parts and earthed metal	64
6.15	According to construction:	64
6.16	According to ageing requirements (Y) of the equipment in which, or with which, the control is intended to be used	65
6.17	According to use of the thermistor	65
6.18	According to classes of control functions	65
7	Information	65
7.1	General requirements	65
7.2	Methods of providing information	65
7.2.9DV.1	Modification of 7.2.9 by adding the following:	67
7.2.9DV.2	Modification of 7.2.9 by adding the following:	68
7.2.9DV.3	Modification of 7.2.9 by adding the following:	68
7.2.9DV.4	Modification of 7.2.9 by adding the following:	68
7.2.9DV.5	Modification of 7.2.9 by adding the following:	68
Table 1DV	Modification of Table 1 with the following nine national differences:	72
7.3	Class II symbol	73
7.4	Additional requirements for marking	73
7.4.1DV	Addition: Add the following to 7.4.1 :	74
7.4.6ADV	Addition: Add the following to 7.4.6 :	75
8	Protection against electric shock	76
8.1	General requirements	76
8.1.3DV	Modification of 8.1.3 by adding the following text:	77
8.1.9.5DV	Modification of 8.1.9.5 by adding the following text:	78
8.2	Actuating members and actuating means	78
8.3	Capacitors	79
8.3.2.4DV	Replacement: Replace 8.3.2.4 with the following:	79
8.4	Covers and uninsulated live or hazardous parts	79
9	Provision for protective earthing	80
9.1	General requirements	80

9.1.1DV.1 Addition:	80
9.1.1DV.2 Addition of 9.1.1DV.2.1 – 9.1.1DV.2.3 :	80
9.1.2DV Addition: Add the following to 9.1.2 :	81
9.2 Class II and class III controls	81
9.3 Adequacy of earth connections	81
9.4 Corrosion resistance	85
9.5 Other requirements	85
10 Terminals and terminations	86
10.1 Terminals and terminations for external copper conductors	86
10.1.1DV Addition of 10.1.1DV.1 and 10.1.1DV.2 :	86
10.1.4DV Replace Table 3 with the following text:	87
10.1.4.1DV Deletion of Note 1	88
10.1.8.2DV Modification to 10.1.8.2 :	89
10.1.14DV.1 Addition of 10.1.14DV.1.1 :	91
10.2 Terminals and terminations for internal conductors	92
10.3 Terminals and terminations for integrated conductors	94
11 Constructional requirements	95
11.1 Materials	95
11.1DV Modification of 11.1 by adding the following text:	95
11.2 Protection against electric shock	96
11.3 Actuation and operation	98
11.4 Actions	101
11.4.16DV National Difference revised and relocated as 11.4.101DV	104
11.4.101DV Addition:	104
11.5 Openings in enclosures	104
11.5DV Addition of 11.5DV.1 to 11.5DV.3 :	104
11.6 Mounting of controls	104
11.7 Attachment of cords	106
11.8 Size of cords – non-detachable	109
11.8.2DV Modification of 11.8.2 by adding the following text:	109
11.9 Inlet openings	109
11.9DV Addition of 11.9DV.1 :	109
11.9.4DV Addition:	110
11.9.5DV.1 Modification of 11.9.5 :	111
11.9.5DV.2 Modification of 11.9.5 by adding the following text:	111
11.10 Equipment inlets and socket-outlets	111
11.10.3DV Addition of the following text:	112
11.10.3DV.1 Deletion of note to 11.10.3	112
11.11 Requirements during mounting, maintenance and servicing	112
11.12 Controls using software	116
11.13 Protective controls and components of protective control systems	116
12 Moisture and dust resistance	119
12.1 Protection against ingress of water and dust	119
12.1.1DV Modification of 12.1.1 by adding the following text:	119
12.1.6DV Modification of 12.1.6 by adding the following text after the note:	120
12.1.6.3DV Addition of the following paragraphs:	120
12.2 Protection against humid conditions	121
13 Electric strength and insulation resistance	123
13.1 Insulation resistance	123
13.2 Electric strength	124
Table 12DV.1 National difference deleted	125
13.2.1DV Addition of the following two paragraphs:	125
13.3 Additional tests for in-line cord and free-standing controls	126
14 Heating	127
14.4DV Modification of 14.4 by adding the following text after the note:	127
Table 13DV Replacement:	132

15	Manufacturing deviation and drift	135
16	Environmental stress	137
	16.1 Transportation and storage	137
	16.2 Environmental stress of temperature	137
17	Endurance	137
	17.1 General requirements	137
	17.2 Electrical conditions for the tests	138
	Table 15DV Replacement:	143
	Table 16DV Replacement:	146
	17.3 Thermal conditions for the tests	147
	17.3.2DV Modification of 17.3.2 by adding the following text:	147
	17.4 Manual and mechanical conditions for the tests	147
	17.5 Dielectric strength requirements	148
	17.6 Ageing test	149
	17.7 Overvoltage test (or overload test in Canada, the USA, and all countries using an overload test) of automatic action at accelerated rate	149
	17.8 Test of automatic action at accelerated rate	150
	17.9 Test of automatic action at slow rate	150
	17.10 Overvoltage test (or overload test in Canada USA and all countries that use the overload test) of manual action at accelerated speed	150
	17.11 Test of manual action at slow speed	151
	17.11.4DV Modification of 17.11.4 by adding the following text:	151
	17.12 Test of manual action at high speed	151
	17.13 Test of manual action at accelerated speed	151
	17.14 Evaluation of compliance	152
	17.15 Void	152
	17.16 Test for particular purpose controls	152
	17.101DV Add the following section titled, "Electronic Ballasts, CFLs and LED driver rated controls"	152
18	Mechanical strength	156
	18.1 General requirements	156
	18.1.6.3DV Modification of 18.1.6.3 by adding the following text:	157
	Table 18.1.6.3DV.1 Addition:	158
	18.2 Impact resistance	158
	18.2.1DV Modification of 18.2.1 by adding the following text:	158
	18.3 Void	159
	18.4 Alternate compliance – Impact resistance	159
	Table 17DV Modification of note d of Table 17 by adding the following:	160
	Table 18DV Modification of note d of Table 18 by adding the following:	160
	18.4.1DV Modification of 18.4.1 by adding 18.4.1DV.1 and 18.4.1DV.2 :	161
	18.4.2DV Addition of 18.4.2DV.1 and 18.4.2DV.2 :	161
	18.5 Free-standing controls	161
	18.6 In-line cord controls	161
	18.7 Pull-cord actuated controls	162
	18.8 Foot actuated controls	162
	18.9 Actuating member and actuating means	163
	18.9.4DV Addition of 18.9.4DV.1 to 18.9.4DV.7 :	163
19	Threaded parts and connections	164
	19.1 Threaded parts moved during mounting or servicing	164
	19.1.10DV Modification of 19.1.10 by adding the following text:	165
	19.2 Current-carrying connections	166
20	Creepage distances, clearances and distances through solid insulation	167
	20.1 Clearances	168
	20.2 Creepage distances	172
	20.3 Solid insulation	175
	20.3.1DV Addition: Add the following paragraph to 20.3.1 :	176